

Gift of
Earl Blough
November 1957

CATALOGUE FOR 1848,
OF A FINE COLLECTION

OF

**FLORICULTURAL, VEGETABLE,
AND AGRICULTURAL
SEEDS,**

COMPRISING, IN ALL, UPWARDS OF
1500 SPECIES AND VARIETIES OF FLOWER SEEDS;

AND AMONG OTHERS,

SOME SPLENDID ASSORTMENTS OF

German Asters, Stocks, Zinnias, Hollyhocks,

&c. &c. (Page 4);

BESIDES A NUMEROUS LIST OF OTHER ESTABLISHED
FAVOURITES, AND MANY NEW AND RARE SEEDS.

*In giving orders for Flower Seeds it is quite sufficient to mention the numbers
without the names; but as the numbers are changed every year, it
is absolutely necessary to say from the Catalogue for 1848.*

THE

LIST OF VEGETABLE SEEDS

WILL BE FOUND TO CONTAIN ALL THE LEADING
AND MOST APPROVED VARIETIES.

TO BE HAD OF

**JAMES CARTER,
SEEDSMAN AND FLORIST,
238, HIGH HOLBORN, LONDON.**

. The German Seeds are from the usual source.

Jan. 1, 1848.

[Entered at Stationers' Hall.]

THE NECESSARY EXPLANATIONS

Respecting the Linnean Classes and Orders, the Natural Orders, Duration, Height, Colour of the Flower, Time of Flowering, and Price, in Eight Columns, are given below. The exemplification will be found at Page 5.

1st and 2nd Columns.—The Linnean Classes and Orders. 3rd.—Natural Orders.

4th Column.—*H. hardness and Duration of each plant.*

h. *hardy*; hh. *half-hardy*; t. *tender*; F. *frame*;—G. *greenhouse*;—S. *Stove perennial*; a. *annual* (last 1 year); b. *biennial* (last 2 years); p. *perennial* (last many years).—Application: ha. *hardy annual*; lha. *half-hardy annual*; ta. *tender annual*; fa. *frame annual*; fgh. *frame or greenhouse*; gh. and hgh. *green or hothouse*; sa. *stove annual*; hb. *hardy biennial*; hhb. *half-hardy biennial*, &c. &c.

5th Column.—*Colour*: bl. *blue*; b. & w. *blue and white*, &c.; d. *dark*; l. *light*; d. r. *dark red*; div. *diverse*, &c. &c.; stri. *striped*, &c.

6th Column.—*Usual height of the plant in feet*; tra. *trailer*; cl. *climber*.

7th Column.—*Usual month of flowering*: 6, *June*; 6-9, *June to September*, &c. &c.

8th Column.—*Price per Packet*. 6d. *Packets may be had of those marked 3d., &c.*

TIME OF SOWING.—Hardy Annuals, February till June, and in Autumn. Hardy Biennials and Perennials, March till June, and in Autumn. Half-hardy Annuals, &c. in March, April, or May, on a moderate hot-bed. Many of the Biennials and Perennials marked hh will stand the winter without protection; they, as well as the half-hardy Annuals, with few exceptions, may likewise be sown on a warm border early in May. The tender Annuals require more than one hot-bed.

The Greenhouse Climbers marked ** may be planted in the borders in May.

* Dwarf Plants proper for the edgings of beds. ** Ornamental Climbers.

† Usually flower the first year, if sown early; sp. species, var. variety.

The dots | ... | ... | ... | ... | indicate a repetition; pl. plures, many; ex, from.

I. The 24 Linnean Classes. (See Flower Seeds, 1st Col. page 5.)

The Linnean Classes are founded on the Sexual Organs.

	<p>a. <i>Stamens (male organs) equal.</i></p> <p>No. 1. Monandria . . . 1 <i>stamen</i></p> <p>2. Diandria . . . 2 <i>stamens</i></p> <p>3. Triandria . . . 3 "</p> <p>4. Tetrandria . . . 4 "</p> <p>5. Pentandria . . . 5 "</p> <p>6. Hexandria . . . 6 "</p> <p>7. Heptandria . . . 7 "</p> <p>8. Octandria . . . 8 "</p> <p>9. Enneandria . . . 9 "</p> <p>10. Decandria . . . 10 "</p> <p>11. Dodecandria 12 to 19 S. in the cup</p> <p>12. Icosandria 20 or more S. on the base</p> <p>13. Polyandria, many Stamens</p> <p style="padding-left: 20px;">b. <i>Stamens unequal.</i></p> <p>14. Didynamia, 2 long, 2 short</p> <p>15. Tetradynameia, 4 ,, 2 ,,</p>		<p>c. <i>Stamens united in sets.</i></p> <p>16. Monadelphia, 1 set</p> <p>17. Diadelphia, 2 sets</p> <p>18. Polyadelphia, many sets</p> <p>d. <i>Compound Flowers (Aslers, &c.).</i></p> <p>19. Syngenesia</p> <p>e. <i>Stamens on the style.</i></p> <p>20. Gynandria</p> <p>f. <i>Male and female separated.</i></p> <p>21. Monœcia, on one plant</p> <p>22. Dioœcia, on different plants</p> <p>g. <i>Male, female, and hermaphrodite flowers, on one or different plants.</i></p> <p>23. Polygamia, many marriages</p> <p>h. <i>Flowers wanting, or incomplete.</i></p> <p>24. Cryptogamia, hidden marriages (Ferns, Mosses, &c.).</p>
--	---	--	--

II. The Linnean Orders. (See Flower Seeds, 2nd Column, page 5.)

The Linnean Orders are founded on the Sexual Organs, Seeds, or Pods.

a. Orders founded on the Styles, or female organs.		No. 48. Polyandria, many stamens
No. 25. Monogynia . . .	1 style	c. On the sets of Stamens.
26. Digynia . . .	2 styles	49. Monadelphica, 1 set
27. Di-pentagynia . . .	2 to 5 "	d. Styles and stamens united.
28. Trigynia . . .	3 "	50. Gyuandria
29. Tetragynia . . .	4 "	c. Male and female separate.
30. Pentagynia . . .	5 "	51. Monœcia, on one plant
31. Hexagynia . . .	6 "	52. Diœcia, on different plants
32. Heptagynia . . .	7 "	f. On the Polygamy.
33. Decagynia . . .	10 "	53. { Polygãmia œqualis, or
34. Dodecagynia . . .	12 "	Equal Polygamy
35. Polygynia . . .	many "	54. { Polygãmia superflua
b. On the Stamens (male organs).		Superfluous Polygamy
36. Monandria . . .	1 stamen	55. { Polygãmia frustrœna
37. Diandria . . .	2 stamens	Frustrated Polygamy
38. Triandria . . .	3 "	56. { Polygãmia necessariœ
39. Tetrandria . . .	4 "	Necessary Polygamy
40. Pentandria . . .	5 "	57. { Polygãmia segregata
41. Hexandria . . .	6 "	Separated Polygamy
42. Heptandria . . .	7 "	g. On the Seeds.
43. Octandria . . .	8 "	58. { Gymnospermia
44. Enneandria . . .	9 "	Naked seeds
45. Decandria . . .	10 "	59. Angiospermia, in a capsule
46. Dodecandria . . .	12 "	h. On the Pods.
47. Icosandria . . .	20 "	60. Siliculœsa, a small pod
		61. Siliquœsa, a long pod.

III. The Natural Orders. (See Flower Seeds, 3rd Column, page 5.)

The Natural Orders are founded on Structural Affinities.

62. Acanthœcœ	82. Crassulœcœ	102. Linœcœ	122. Primulœcœ
63. Amaranthœcœ	83. Crucifœrœ	103. Loasœcœ	123. Protœcœ
64. Amaryllidœcœ	84. Cucurbitœcœ	104. Lobeliœcœ	124. Ranunculœcœ
65. Apocynœcœ	85. Dipsœcœ	105. Loranthœcœ	125. Resedœcœ
66. Aristolochiœcœ	86. Epacridœcœ	106. Lythrœcœ	126. Rosœcœ
67. Asclepiadœcœ	87. Ericœcœ	107. Marantœcœ	127. Rubiœcœ
68. Balsaminœcœ	88. Euphorbiœcœ	108. Malvœcœ	128. Rutœcœ
69. Begoniœcœ	89. Ficoideœ	109. Myrtœcœ	129. Scrophulariœcœ
70. Bignoniœcœ	90. Funariœcœ	110. Nyctaginœcœ	130. Sesâmœcœ
71. Boraginœcœ	91. Francoœcœ	111. Nymphaœcœ	131. Silenœcœ
72. Cactœcœ	92. Graminœcœ	112. Onagrariœcœ	132. Solanœcœ
73. Campanulœcœ	93. Gentianœcœ	113. Melanthœcœ	133. Styliidiœcœ
74. Capparidœcœ	94. Geraniœcœ	114. Papaverœcœ	134. Thymelœcœ
75. Caprifoliœcœ	95. Gesnerœcœ	115. Passiflorœcœ	135. Tropœolœcœ
76. Cistœcœ	96. Hydrophyllœcœ	116. Pittosporœcœ	136. Umbellifœrœ
77. Cobœcœ	97. Iridœcœ	117. Plumbaginœcœ	137. Valerianœcœ
78. Commelinœcœ	98. Labiatœ	118. Polemoniœcœ	138. Verbenœcœ
79. Compositœ	99. Leguminosœ	119. Polygalœcœ	139. Violœcœ
80. Conifœrœ	100. Liliœcœ	120. Polygonœcœ	140. Magnoliœcœ
81. Convolvulœcœ	101. Limnanthœcœ	121. Portulacœcœ	141. Zygophyllœcœ

The names of the Natural Orders ending in *ACEÆ* are chiefly derived from Generic Names, as *CAMPANULACEÆ* from *CAMPANULA*; such as end in *R* only are not, as *COMPOSITÆ*, *LABIATÆ*, &c.

ASSORTMENTS
OF
GERMAN FLOWER SEEDS
IN THE ORIGINAL SEALED PACKETS.

These Seeds warranted to equal, if not surpass, any in the Kingdom.

No.	h. signifies hardy; hh. half-hardy.	s. d.
1	24 splendid varieties of German Aster, separate, <i>hh.</i>	6 0
2	24 do. do. do. do.smaller packets	3 0
3	12 superb new Globe do. do.	3 0
4	12 do. do. do. do.smaller packets	1 6
5	14 new double Pyramidal do. do.	3 6
6	14 do. do. do. do.smaller packets	1 9
7	10 new Globe Pyramidal do. do.	4 0
8	10 do. do. do. do.smaller packets	2 0
9	60 splendid German Aster, comprising Nos. 1, 3, 5, 7,	16 0
10	60 do. do. do. do. Nos. 2, 4, 6, 8, smaller packets	8 0
11	30 do. do. half of No. 9	8 0
12	30 do. do. do. do.smaller packets	4 6
13	16 beautiful new dwarf German Aster, separate.....	4 0
14	16 do. do. do. do.smaller packets	2 0
15	24 extra fine dwarf German Stock, separate	8 0
16	24 do. do. do. do.smaller packets	4 0
17	12 finest branching Nosegay do. do.	4 0
18	12 do. do. do. do.smaller packets	2 0
19	12 very fine wallflower-leaved or Prussian Stock, separate.....	3 6
20	12 do. do. do. do. do. do. smaller packets	2 0
21	60 fine German Stock, comprising Nos. 15, 17, 19	17 6
22	60 do. do. do. separate	8 0
23	30 do. do. do. do. the half of No. 21.....	9 0
24	30 do. do. do. separate	5 0
25	12 beautiful German Stock, all dwarf	5 0
26	12 do. do. do. do.smaller packets	2 6
27	12 finest double dwarf Rocket Larkspur, <i>h.</i>	3 0
28	8 do. do. tall do. <i>h.</i>	2 0
29	12 extra fine double Poppy, <i>h.</i>	2 6
30	20 beautiful double Balsam, <i>hh.</i> or greenhouse	5 0
31	24 splendid <i>Zinnia elegans</i> , <i>hh.</i>	8 0
32	12 do. do.	5 0
33	12 finest varieties of Marygold, <i>hh.</i>	3 0
34	8 do. <i>Elichrysum</i> or <i>Xeranthemum</i> , <i>hh.</i>	3 6
35	10 beautiful <i>Salpiglossis</i> , <i>hh.</i>	3 6
36	12 extra fine new varieties of <i>Phlox Drummondii</i> , <i>hh.</i>	5 0
37	12 finest biennial Stock, <i>hh.</i>	3 0
38	12 do. do.smaller packets	2 0
39	16 superb new Wallflower, <i>h.</i>	7 6
40	16 do. do.smaller packets	4 0
41	10 splendid new Seabious, <i>h.</i>	3 6
42	40 extra fine double Hollyhock, <i>h.</i>	6 0
43	20 do. do.	3 0
44	10 beautiful new Petunia, <i>hh.</i>	3 0
45	12 finest new Antirrhinum, <i>h.</i>	3 0

Explanations.—Nos. 1 to 35 are annuals; the remainder biennials or perennials.
Other assortments will be found at page 27.

<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded.		L. O.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Height.	M. of Flow.	Price	
No.							feet		s. d.	
74	<i>Amaranthus speciosus</i>	showy	21	40	63	hha	pur.	2	7-8	3
75	<i>Amethystea cærulea</i>	blue	2	25	98	ha	bl.	3
76	<i>Anagallis indica</i>	Indian	5	...	122	1	6-7	3
77	<i>grandiflora</i>	large-flowered	fgh	red	...	6-9	6
78	— <i>cærulea</i>	large blue	bl.	6
79	— — —	finest mixed	div.	6
80	<i>Anchusa capensis</i>	Cape	71	hhp†	bl.	2	...	3
81	<i>ochroleuca</i> , var. <i>italica</i>	Italian	p. y.	1	6-8	3
82	<i>Anemone coronaria</i>	(<i>Poppy Anemone</i>)	13	35	124	...	div.	...	5-7	6
83	<i>Hudsoniana</i>	(<i>Hudson's Bay</i>)	wh.	6
84	<i>narcissiflora</i>	<i>Narcissus-flowered</i>	6
85	<i>Pulsatilla</i>	(<i>Pasque-flower</i>)	vio.	$\frac{1}{2}$...	3
86	<i>vitifolia</i>	vine-leaved	wh.	2	7-8	3
87	— — —	(<i>A alpine sp. m.</i>)	div.	$\frac{3}{4}$	5-6	6
88	<i>Anoda Dilleniana</i>	<i>Dillenius's</i>	16	48	108	ha	bl.	$1\frac{1}{3}$	7-8	3
89	<i>Anomatheca cruenta</i>	deep red	3	25	97	hhp†	red	1	6-8	3
90	<i>Anthemis purpurea</i>	purple	19	54	79	ha	pur.	$1\frac{1}{3}$	7-8	3
91	<i>Anthriscum annuum</i>	annual	6	25	100	...	yel.	$\frac{3}{4}$	7-8	3
92	<i>lilustrum</i>	<i>lily-like</i>	hp	wh.	2	5-6	6
93	<i>Aquilegia alpina</i>	alpine	13	30	124	hp†	bl.	1	5-7	3
94	<i>canadensis</i>	Canadian	r&o.	$1\frac{1}{3}$...	3
95	— <i>elatior</i>	taller	2	...	3
96	<i>formosa</i>	beautiful	$1\frac{1}{2}$...	6
97	<i>Skinneri</i>	<i>Skinner's</i>	6
98	<i>glandulosa</i>	<i>glandular</i>	w&b	6
99	<i>sibirica</i>	<i>Siberian</i>	bl.	3
100	<i>viridiflora</i>	<i>green-flowered</i>	gr.	3
101	— — —	<i>6 fine sp. sep.</i>	div.	1-2	...	1 6
102	— — —	finest mixed	6
103	<i>Arabis rosea</i>	rose	15	61	83	...	rose	1	...	3
104	— — —	(<i>3 fine species</i>)	5	var.	3
105	<i>Ardisia crenulata</i>	<i>crenulated</i>	5	25	...	G.	red	8	7-9	6
106	<i>Arenaria</i> , 2 sp.	(<i>2 alpine species</i>)	10	28	131	hp	...	1	6-7	3
107	<i>Argemone grandiflora</i>	large-flowered	13	25	114	ha	wh.	2	7-8	6
108	<i>mexicana</i>	<i>Mexican</i>	yel.	3
109	<i>ochroleuca</i>	<i>yellowish white</i>	crea.	3
110	— — —	<i>fine mixed</i>	div.	3
111	<i>Aristolochia siphon**</i>	<i>tube</i>	20	41	66	hp	y.br.	cl.	...	6
112	<i>Asclepias curassavica</i>	<i>Curassao</i>	5	26	67	G.	sc.	$2\frac{1}{2}$...	6
113	<i>tuberosa</i>	<i>tuberous</i>	hp†	br.p.	6
114	<i>Aster alpinus</i>	alpine	19	54	79	...	pur.	$\frac{3}{4}$	5-8	3
115	<i>Amellus</i>	<i>Amellus</i>	$1\frac{1}{4}$	7-9	3
116	<i>tenellus*</i>	<i>slender</i>	bl.	1	7-8	6
117	<i>Athanasia annua</i>	annual	...	53	...	ha	yel.	$\frac{1}{2}$...	3
118	<i>Aulax</i> , 2 sp. <i>eximie</i>	(<i>2 choice species</i>)	22	39	123	G.	...	2	7-9	1 0
119	<i>Azalea</i> , pl. sp. <i>ex.</i>	<i>choice mixed</i>	5	25	87	...	div.	div.	5-7	1 0
120	<i>Balsamina latifolia</i>	<i>broad-leaved</i>	...	30	69	...	red	...	6-9	6
121	<i>Bartonia aurea</i>	golden	13	25	103	ha	yel.	2	7-9	3
122	<i>Begonia</i> , pl. <i>species</i>	<i>mixed</i>	21	48	69	G.	div.	6
123	<i>Bellis perennis</i> , fl. pl.	<i>Double Daisy</i>	19	54	79	hp†	...	$\frac{1}{2}$	4-7	6

<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded.			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
174	Campánula Lòrei alba*	white	5	25	73	ha	wh.	1	7-8	3
175	pentagònia	five-angled	bl.	3
176	— alba	white	wh.	3
177	Canna cocéinea	scarlet	1	...	107	S.	se.	3	...	3
178	iridiflòra	Iris-flowered	1 6
179	Cassia corymbòsa	bunch-flowered	10	53	99	G.	yel.	4	7-9	6
180	Castilleja lithospermoides	Lithospermum l.	14	59	129	hh	yel.	2	7-8	1 0
181	Catananche lùtea	yellow	19	53	79	ha	yel.	1	...	3
182	cærùlea	blue	hb†	bl.	2	...	3
183	— bicolor	white	w&b	3
184	Celsia arctùrus	Arcturus	14	59	132	fgh	yel.	1½	...	6
185	crética	Cretan	hpt	...	5	...	3
186	incarnàta	flesh-coloured	fgh	fl.	1½	...	6
187	orientàlis	ariental	ha	yel.	6
188	Centaurea americàna	American	19	55	79	fgh	red	2	9-10	6
189	atropurpùrea	dark purple	hpt	d. p.	...	7-8	3
190	depressa	dwarf	ha	bl.	1	...	3
191	lùtea	yellow	yel.	1½	...	3
192	splendens deusta	splendid	hb†	red	2	...	3
193	Chanostòma polyanthum	many-flowered	14	59	129	hh	li.	$\frac{2}{3}$...	6
194	Chelidæ barbàta	bearded	hhpt	se.	2	...	6
195	campanulàta	bell-flowered	bl.	3
196	— alba	white	wh.	3
197	glauca	glaucous	6
198	Chirònia, 3 spècies	(3 fine species)	5	25	93	G.	div.	6
199	Chorozèma spectàbilis	showy	10	...	99	fgh	var.	3	6-8	6
200	Cinerària cruenta, pl. var.	(splend. m. 50 v.)	19	54	79	...	div.	2	5-6	1 6
201	— azùrea	azure	bl.	6
202	Cistus, pl. sp.	(finest mixed)	13	25	76	hhpt	div.	...	6-9	6
203	Cladanthus aràbicus	Arabian	19	54	79	ha	yel.	1	7-8	3
204	Clarkia gauroides	Gaura-like	8	25	112	...	mul.	1½	...	3
205	elegans	elegant	li.	3
206	— ròsea	rose-coloured	rose	3
207	— flòre plèno	double	r. & l.	3
208	pulchella	pretty	pink	1	...	3
209	— alba	white	wh.	3
210	— grandiflòra	large-flowered	red	3
211	— — —	fine mixed	w & r	3
212	Clématis flammula	(fragrant)	13	35	124	hhp	wh.	cl.	7-9	6
213	4 species	(4 fine species)	4	6-8	6
214	Clèdæ pentaphylla	five-leaved	15	61	74	hha	...	2	7-8	6
215	spinòsa	spiny	rose	6
216	— — —	mixed	w & r	6
217	Clianthus puníceus	crimson	17	45	99	hhp	cr.	6	...	6
218	Clintònia élégans	elegant	16	40	104	hha	bl.	1½	...	3
219	pulchella	pretty (extra)	3col.	1	...	6
220	Cobæa scandens**	climbing	5	25	77	G.	pur.	cl	7-9	6
221	Collinsia grandiflòra*	large-flowered	14	59	129	ha	p & b	1	7-8	3
222	bicolor*	two-coloured	w & p	1½	...	5
223	— atrorùbens*	dark red	red	1	...	6

<i>A</i> —indicates a variety. () That the word is not literally translated, or is superadded.			C.	O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.			L.	L.	N. O.	H. & Dur.	Col. of Fl.	feet		s. d.
224	<i>Collinsia</i> bicol. ruthénico	Russian	14	59	129	ha	r & p	1½	7-8	3
225	<i>Collomia</i> coccinea	scarlet	5	25	118	...	sc.	1	...	3
226	<i>Commelina</i> caelestis	sky-blue	3	...	78	hhp†	bl.	1½	...	3
227	— albiflora	white	wh.	6
228	tuberosa	tuberous	bl.	3
229	<i>Corræa</i> , 2 species	(2 fine species)	8	...	128	G.	var.	5	5-7	6
230	<i>Corydalis</i> glauca	sea-green	17	41	90	ha	p & y.	2	7-8	3
231	<i>Cótula</i> aurea*	golden (yellow)	19	53	79	...	yel.	tr.	...	3
232	coronopifolia*	buck's shorn-td.	3
233	<i>Cosmanthus</i> fimbriatus	fringed	5	25	96	hha	6
234	<i>Cosmea</i> bipinnata	bi-pinnate	19	55	79	...	pur.	2½	8-9	6
235	<i>Cræus</i> vernus	vernal	3	25	97	hp	div.	½	3-4	6
236	<i>Crotalaria</i> elegans	elegant	16	45	99	G.	yel.	3	6-8	1 0
237	latifolia	broad-leaved	6
238	<i>Crucianella</i> stylösa	long-styled	4	25	127	hpf†	pink	¾	...	3
239	<i>Cùphea</i> strigulösa	strigulose	11	...	106	hh	s & y.	1½	7-8	6
240	platycentra	broad-centred	sc.	1	...	6
241	silénoides	Silene-like	pur.	2	...	6
242	<i>Cy'clamen</i> persicum	Persian	5	...	122	hhp	rose	¼	6-9	6
243	— — —	fine mixed	hp	r & w	6
244	<i>Cyclanthera</i> pedata	pedate-leaved	21	49	84	hh	cl.	7-8	...	6
245	<i>Cynoglossum</i> glochidä-	glochidale	5	25	71	hp	bl.	3	...	3
246	tricoloratum [cum	three-coloured	3col.	3
247	<i>Cy'tisus</i> argenteus	silvery (leaved)	16	45	99	...	yel.	4	5-7	3
248	capitatus	headed	3
249	nigricans	blackish	3	...	3
250	sp. sempervirens	ever-green	4	...	3
251	<i>Dahlia</i> repens	creeping	19	54	79	hlp†	pur.	1½	7-9	6
252	variabilis	(double mixed)	div.	3	...	6
253	<i>Datura</i> ceratocaula	horn-stalked	5	25	132	hha	stri.	2½	7-8	6
254	fastuösa	showy	b & w	2	...	6
255	<i>Daubentömia</i> Tripetiana	Mons. Tripet's	17	45	99	S.	2 6	3
256	<i>Delphinium</i> amœnum	pleasing	13	28	124	hpf†	bl.	3	7-9	3
257	azüream	azure	az.	2	...	3
258	chinense	Chinese	bl.	1½	...	3
259	— album	white	wh.	3
260	— — —	finest mixed	div.	6
261	— — —	10 var. separate	3 0	3
262	grandiflorum	large-flowered	bl.	3
263	lazulinum	lazuline	2	...	3
264	splendidum	splendid	6
265	triste	drooping	br.	3
266	velutinum	velvety	bl.	3
267	— — —	fine mix'd, 12 sp.	div.	2-3	...	6
268	<i>Dianthus</i> atrorubens	dark red	10	26	131	...	red	1	...	3
269	— atropurpurens, fl. pl.	dou. dark purple	d. p.	...	6-8	6
270	— atrovioleäcus, fl. pl.	dou. dark violet	d. v.	6
271	barbatus, pl. var.	Sweet William, m	hp	div.	1½	...	3
272	— coccineus	scarlet	sc.	6
273	— kermesinus	crimson	cri.	6

<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet		s.d.	
274	<i>Dianthus barbatus</i> , fl. pl.		10	26	131	hp	div.	1½	6-8	6
275	<i>Caryophyllus</i>							2		3
276	— flore-plèno									1 0
277	— — —									2 6
278	— — —									1 0
279	— — —									2 6
280	<i>chinensis</i>					hb†	wh.	1		6
281	— flore-albo						wh.			6
282	— flore-plèno						div.			6
283	<i>decussatus</i>					hp†				3
284	<i>deltoides</i>						red	¼		3
285	<i>floribundus</i>									3
286	<i>Garnérianus</i>									6
287	<i>giganteus</i>						red	4		3
288	<i>guttatus</i> *						sp.	¾		6
289	<i>hispanicus</i>					hb†	rd.	1		3
290	— splendens						sc.			6
291	<i>hyssopifolius</i>					hp†	pink			3
292	<i>imperialis</i>					hb†	div.			6
293	<i>japonicus</i>					hp†	sc.			6
294	<i>latifolius</i>						div.			3
295	<i>monsperulanus</i>						red	¾		3
296	<i>moschatus</i>					hp	w&p	1		3
297	— flore-plèno									1 0
298	<i>plumarius</i> , fl. pl.						div.	1½		3
299	<i>polymorphus</i>						w&p	1		3
300	<i>pulchellus</i>					hb†	div.			6
301	<i>superbus</i>					hp†	li.	1½		3
302	— — —					div.	div.	1		3 6
303	<i>Didiscus cæruleus</i>		5	25	136	hha	bl.	2	7-8	6
304	<i>Digitalis aurea</i>		14	59	129	hp†	yel.	1½	7-9	3
305	<i>grandiflora</i>									3
306	<i>lanata</i>						buff	2		3
307	<i>purpurea</i>						pur.	3		3
308	— alba						wh.			3
309	— bicornuta									3
310	— puuctata						sp.			3
311	— rosca						rose			3
312	— — —						div.			6
313	<i>Dillwynia glycinifolia</i>		10	25	99	G.	o&r.	2	4-6	6
314	<i>Diplacus puniceus</i>		14	59	129	hlp†	sc.		7-8	6
315	<i>Dodecatheon Meadia</i>		5	25	122	G.	div.	1		6
316	<i>Dolichos lignosus</i>		17	45	99		pur.	cl.	6-8	6
317	<i>Dracoccephalum altaicencs</i>		14	58	98	hp†		½		3
318	<i>arguncense</i>						bl.	1		6
319	<i>canariense</i>					hlp†	r&p.	2		3
320	<i>superbum</i>					hp†	bl.			6
321	<i>Echium grandiflorum</i>		5	25	71	ha			7-8	3
322	<i>Elichrysum macranthum</i>		19	54	79	hha	rose			3
323	— bicolor-plènum						w&r			6

<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded.		L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.						feet		s. d.
324	<i>Elichry'sum robustum</i>	(superb yellow)	19 54	79	lha	yel. 2	7-8	6
325	— — — —	<i>fine mixed</i>	div.	6
326	— — — —	<i>6 sp. Greenhouse</i>	G.	w & y	1 0
327	<i>Epilobium</i> , 2 species	(2 fine species)	8 25	112	lpt†	3
328	<i>Erica coccinea</i>	<i>scarlet</i>	...	87	G.	sc. 2	7-8	6
329	<i>lutea</i>	<i>yellow</i>	yel. ...	4-6	6
330	<i>Mousoniana</i>	<i>Lady Monson's</i>	wt. ...	7-8	6
331	<i>Petiverii</i>	<i>Petiver's</i>	yel. ...	5-6	6
332	<i>Plukenetii</i>	<i>Plukenet's</i>	red	6
333	<i>purpurea</i>	<i>purple</i>	pur. ...	7-8	6
334	<i>spicata</i>	<i>spiked</i>	l. y.	6
335	<i>versicolor</i>	<i>various-coloured</i>	o. r.	6
336	— — — —	<i>40 sp. separate</i>	div. ...	div. 15	0
337	— — — —	<i>20 do. do.</i>	7 6
338	— — — —	<i>30 sp. mixed</i>	2 6
339	<i>Erinus alpinus</i>	<i>alpine</i>	14 59	129	lpt†	li. ¼	4-6	3
340	<i>Erodium grimum</i>	<i>crane</i>	16 40	94	ha	bl. 1	7-8	3
341	<i>Eryngium giganteum</i>	<i>gigantic</i>	5 26	136	lp	...	3	7-9
342	<i>Erysimum Perofskianum</i>	<i>Perofski's</i>	15 61	83	ha	or. 1¼	6-8	3
343	<i>Eschscholtzia crocea</i>	<i>orange</i>	13 29	114	lpt†	...	1½	6-7
344	<i>californica</i>	<i>Californian</i>	yel.	3
345	<i>compacta</i>	<i>compact</i>	3
346	<i>Eucharidium concinnum</i>	<i>neat</i>	8 25	112	ha	pur. 1	7-8	3
347	<i>grandiflorum</i>	<i>large-flowered</i>	3
348	<i>Euphorbia variegata</i>	<i>variegated</i>	11 28	88	...	var. ...	8-9	6
349	<i>Eutocia multiflora</i>	<i>many-flowered</i>	5 25	96	...	lav. ...	7-8	3
350	<i>viscida</i>	<i>viscid</i>	bl.	3
351	<i>Wrangeliæna</i>	<i>Wrangel's</i>	li.	3
352	<i>Francoa appendiculata</i>	<i>appendiced</i>	8 29	91	lpt†	pink 2	...	3
353	<i>Fritillaria imperialis</i>	(<i>Crown Imperial</i>)	6 25	100	lp	div. 3	...	6
354	<i>melægris</i>	(<i>Fritillary</i>)	1	...
355	<i>Fuchsia hybrida</i>	<i>finest hybrid</i>	8	112	fgl	...	2	...
356	<i>Galèga orientalis</i>	<i>oriental</i>	16 45	99	lpt†	bl. 3	6-9	6
357	<i>Gaillardia picta</i>	<i>painted</i>	19 55	79	hha	y & s. 1½	7-9	6
358	— <i>coccinea</i>	<i>scarlet</i>	sc.	6
359	— <i>nana</i>	<i>dwarf scarlet</i>	tr. ...	6
360	— <i>nova</i>	<i>new dwarf</i>	y & c	6
361	— — — —	<i>4 fine sp. m.</i>	lpt†	div. 2	...	6
362	<i>Gardènia</i> , 2 sp. ex.	<i>2 fine species</i>	5 25	127	G.	p & w 6	3-7	1 0
363	<i>Gentiàna acaulis*</i>	<i>stemless</i>	...	26	93	lpt†	bl. ½	4-7
364	<i>Anarella</i>	<i>Anarella</i>	ha	pur. ...	7-8	6
365	<i>asclepiàdea</i>	<i>Asclepias-like</i>	lp	bl. 1	...	6
366	<i>campestris</i>	<i>field</i>	ha	pur. ¼	...	6
367	<i>Catesbæi</i>	<i>Catesby's</i>	lp	bl. 1¼	6-7	6
368	<i>cruciata</i>	<i>crossed</i>	d. b. 1	...	6
369	<i>hybrida</i>	<i>hybrid</i>	y & p 2½	...	6
370	<i>macrophylla</i>	<i>long-leaved</i>	d. b. 1	...	6
371	<i>punctata</i>	<i>spotted</i>	yel. 3	...	6
372	<i>purpurea</i>	<i>purple</i>	pur.	6
373	<i>Saponaria</i>	<i>Saponaria-leaved</i>	bl. 2	...	6

A — indicates a variety. () That the word is not literally translated, or is superadded.			U.	S.	N. O.	H. & Dur.	Col. of Fl.	Height	M. of Flow.	Price.
No.			L.	L.	N. O.	H. & Dur.	Col. of Fl.	feet		s. d.
374	<i>Gentiana verna</i>	<i>vernal</i>	5	26	127	hpf	bl.	$\frac{1}{2}$	4-5	6
375	<i>utriculosa</i>	<i>bladdery</i>	pur.	$\frac{1}{2}$...	6
376	— — —	<i>finest mixed</i>	h	div.	div.	4-8	6
377	<i>Geranium</i> , 3 species	<i>3 species, m.</i>	16	42	94	hlp	7-8	6
378	<i>Gesneria</i> , pl. sp. ex.	<i>(choice mixed)</i>	14	59	95	S.	o.&s.	$1\frac{1}{2}$	6-8	1 0
379	<i>Geum coccineum</i>	<i>scarlet</i>	12	35	126	hhp+	sc.	2	...	3
380	<i>chiloense majör</i>	<i>larger Chilian</i>	6
381	<i>rivale</i>	<i>river</i>	yel.	1	...	3
382	<i>sanguineum</i>	<i>blood-red</i>	cr.	$1\frac{1}{2}$...	6
383	— — —	<i>4 fine sp. mixed</i>	div.	6
384	<i>Gilia achillifolia</i>	<i>Milfoil-leaved</i>	5	25	118	ha	bl.	...	7-8	3
385	<i>capitata</i>	<i>headed</i>	h&w	3
386	<i>nivalis</i>	<i>snow-white</i>	wh.	3
387	<i>tricolor</i>	<i>three-coloured</i>	3 col.	1	...	3
388	— <i>albo-cerulea</i>	<i>white and blue</i>	w&h	3
389	— <i>splendens</i>	<i>splendid</i>	rose	3
390	— — —	<i>fine mixed</i>	div.	3
391	<i>Gladiolus floribundus</i>	<i>bunch-flowered</i>	3	...	97	hhp	w&p	2 $\frac{1}{2}$...	3
392	<i>Herbertianus</i>	<i>Hon. W. Herbert's</i>	div.	2	...	1 0
393	<i>Glancium Fischerianum</i>	<i>Dr. Fischer's</i>	13	35	114	ha	...	$1\frac{1}{2}$...	3
394	<i>tricolor</i>	<i>three-coloured</i>	r. v.	3
395	<i>Gloxinia</i> , 12 species ex.	<i>12 choicc species</i>	14	59	95	S.	div.	...	6-8	1 0
396	<i>Glycine sinensis**</i>	<i>Chinese</i>	17	45	99	hp	bl.	15	5-7	1 0
397	<i>comosa**</i>	<i>tufted</i>	ha	2	7-8	6
398	<i>Gnaphalium eximium</i>	<i>choicc</i>	19	54	79	G.	cr.	3	...	6
399	<i>grandiflorum</i>	<i>large-flowered</i>	wh.	6
400	<i>Godetia (Gnothera)</i>	<i>(finest mix. 20 v.)</i>	8	25	112	ha	div.	1	...	6
401	<i>bifrons</i>	<i>two-fronted</i>	p&c	3
402	<i>insignis</i>	<i>beautiful</i>	spot.	3
403	<i>Lehmanni</i>	<i>Lehmann's</i>	var.	3
404	<i>lepida</i>	<i>prelty</i>	li.	3
405	<i>Lindleyana</i>	<i>Dr. Lindley's</i>	w&r	3
406	<i>purpurea</i>	<i>purple</i>	pur.	3
407	<i>quadriculnera</i>	<i>four-coloured</i>	pink	3
408	<i>Romanzovii</i>	<i>Romanzow's</i>	pur.	3
409	<i>roseo-alba</i>	<i>rose and white</i>	r&w	3
410	<i>rubicunda</i>	<i>blushing</i>	d. c.	3
411	<i>tenuifolia</i>	<i>slender-leaved</i>	vio.	3
412	<i>viminea</i>	<i>twiggy</i>	li.	3
413	<i>vinosa</i>	<i>(wine-coloured)</i>	clar.	3
414	<i>Willdenovii</i>	<i>Willdenow's</i>	vio.	3
415	<i>Goodia lotifolia</i>	<i>Lotus-leaved</i>	16	45	99	G.	yel.	3	6-7	6
416	<i>pubescens</i>	<i>hairy</i>	6
417	<i>Gypsophila elegans</i>	<i>elegant</i>	10	26	131	ha	w&p	$\frac{3}{4}$	7-8	3
418	<i>Hebenstreitia dentata</i>	<i>indented</i>	11	59	138	hha	wh.	1	...	3
419	sp. <i>fragrans</i> [nm]	<i>fragrant</i>	6
420	<i>Hedychium Gardnerian</i>	<i>Gardner's</i>	5	25	...	S.	yel.	6	6-9	1 0
421	<i>Helienium Douglasii</i>	<i>Douglas's</i>	19	54	79	ha	...	2	7-8	3
422	<i>Helianthemum guttatum</i>	<i>spotted</i>	13	25	76	$\frac{1}{2}$...	3
423	— — —	<i>extra fine mixed</i>	hpf	div.	1	...	1 0

<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price	
No.							feet		s. d.	
424	<i>Heliophila arabioides</i>	<i>Arabis-like*</i>	15	61	83	lha	bl.	$\frac{1}{2}$	7-8	6
425	<i>trifida</i>	<i>three-cut</i>	pur.	6
426	<i>stricta</i>	<i>upright</i>	bl.	1	0
427	<i>Heliotropium peruvianum</i>	<i>Peruvian</i>	5	25	71	fgl	...	2	...	6
428	<i>grandiflorum</i>	<i>large-flowered</i>	6
429	<i>Hieracium grandiflorum</i>	<i>large-flowered</i>	19	53	79	hpt	yel.	1 $\frac{1}{2}$...	3
430	<i>Hibiscus africanus</i>	<i>African</i>	16	48	108	ha	y & d	2	...	3
431	<i>Humboldti</i>	<i>Humboldt's</i>	3
432	<i>palustris</i>	<i>Marsh (2 var.)</i>	hpt	r & w	3	...	6
433	<i>calysurens</i>	<i>(new species)</i>	lh	2	6
434	<i>Fullerianus</i>	<i>Fuller's</i>	G.	1	0
435	<i>grandiflorus</i>	<i>large-flowered</i>	flsh.	3	6
436	<i>Manihot</i>	<i>Manihot</i>	y & d	2	6
437	<i>militaris</i>	<i>military</i>	pur.	6
438	<i>Moscheutos</i>	<i>Moscheutos</i>	hpt	wh.	6
439	<i>— roseus</i>	<i>rose do.</i>	rose	6
440	<i>speciosus</i>	<i>showy</i>	fgl	sc.	...	1	0
441	<i>syriacus</i>	<i>Syrian</i>	hp	div.	6
442	<i>Hovea Celsi</i>	<i>Cel's</i>	...	45	99	G.	bl.	6	6-8	1
443	<i>Humea elegans</i>	<i>elegant</i>	19	53	79	hbt	red	5	6-9	6
444	<i>Ilyaeinthus orientalis</i>	<i>oriental</i>	6	25	100	lp	div.	1	5-6	6
445	<i>Hypereium elegans</i>	<i>elegant</i>	18	48	yel.	1 $\frac{1}{2}$	6-7	6
446	<i>Kalmianum</i>	<i>Kalm's</i>	6
447	<i>Iberis Tenoreana</i>	<i>Tenore's</i>	15	60	83	hpt	red	1	7-8	3
448	<i>Impatiens glandulifera</i>	<i>glandular</i>	5	25	68	lha	...	2 $\frac{1}{2}$...	3
449	<i>Ipomoea eocinea**</i>	<i>scarlet</i>	81	ghh	sc.	cl.	7-9	6
450	<i>bona-nox**</i>	<i>Good Night!</i>	li.	6
451	<i>Lindleyi**</i>	<i>Prof. Lindley's</i>	2	6
452	<i>Quamoelit**</i>	<i>Quamoelit</i>	se.	6
453	<i>rubro-caerulea**</i>	<i>(sky-blue) true</i>	bl.	...	2	6
454	<i>— alba**</i>	<i>white (new)</i>	wh.	...	2	6
455	<i>tyrianthina**</i>	<i>(Tyrian purple)</i>	pur.	...	2	6
456	<i>— — —**</i>	<i>fine mixed</i>	div.	...	1	0
457	<i>Nil**</i>	<i>(Anil-blue)</i>	lha	bl.	3
458	<i>Indigofera australis</i>	<i>Australian</i>	17	45	99	G.	pink	4	5-6	6
459	<i>cytisoides</i>	<i>Cytisus-like</i>	red	3	7-8	6
460	<i>juncica</i>	<i>rush (leaved)</i>	2	6-7	6
461	<i>sp. Cochabamba</i>	<i>Cochabamba</i>	rose	3	...	6
462	<i>Ipomopsis Beyrichii</i>	<i>Beyrich's</i>	5	25	118	hbt	se.	2	7-8	6
463	<i>elegans</i>	<i>elegant</i>	6
464	<i>— aurantiaca</i>	<i>orange</i>	or.	...	1	0
465	<i>pieta</i>	<i>painted</i>	sc.	6
466	<i>Iris xiphoides</i>	<i>(English Iris)</i>	3	..	97	hp	div.	...	6-7	1
467	<i>xiphium</i>	<i>(Spanish Iris)</i>	1	...	6
468	<i>Isotoma axillaris</i>	<i>axillary</i>	5	...	104	fgl	bl.	1 $\frac{1}{2}$	6-8	6
469	<i>Ixia, pl. sp. et var.</i>	<i>(finest mixed)</i>	3	...	97	fglhp	div.	1	...	6
470	<i>Jurenia alata</i>	<i>winged</i>	6
471	<i>Kaulfussia amelloides</i>	<i>Amellus-like</i>	19	54	79	ha	bl.	$\frac{3}{4}$	7-8	3
472	<i>Kennedia Maryattae**</i>	<i>Mrs. Maryatt's</i>	17	45	99	G.	sc.	cl.	6-9	1
473	<i>monophylla**</i>	<i>single-leaved</i>	bl.	6

A — indicates a variety. () That the word is not literally translated, or is superadded.		L.	Cl.	L.	O.	N.	O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
		17	45	99	G.	feet	s. d.					
474	Kennèdia physolobioides	<i>Physolobium l.**</i>	17	45	99	G.				cl.	6-9	1 0
475	rubicunda**	<i>blushing</i>	red	6
476	sp. coccinea**	<i>scarlet species</i>	sc.	6
477	4 species**	<i>(4 fine species)</i>	div.	1 0
478	Lantana Selloviana	<i>Sellow's</i>	14	59	138	hlp†	pur.	1½	7-8	3
479	Lasthènia californica	<i>Californian</i>	19	54	79	ha	yel.	3
480	glabrata	<i>smooth</i>	3
481	Lathyrus speciosus	<i>showy</i>	17	45	99	...	er.	2	3
482	latifolius	<i>broad-leaved</i>	hpt†	red	cl.	3
483	— albus	<i>white</i>	wh.	3
484	azurens major	<i>larger azure</i>	ha	bl.	2	3
485	Lavatera Salvitellensis	<i>Salvitella</i>	16	48	108	hbt†	pink	3
486	Leptósiphon densiflorus	<i>thick-flowered</i>	5	25	118	ha	pur.	¾	3
487	androsæcus	<i>Androsæce-like</i>	div.	1	3
488	— albus	<i>white</i>	wh.	3
489	— lilacinus	<i>lilac</i>	li.	3
490	Leucadendron, pl. sp.	<i>(10 fine species)</i>	22	39	123	G.	yel.	div.	div.	1 0
491	argentum	<i>silvery</i>	6	1 0
492	Lycastèria formosa	<i>beautiful</i>	5	25	75	hpt†	w & p	7-9	...	6
493	Leucospermum, 4 sp.	<i>(4 fine species)</i>	4	...	123	G.	yel.	div.	div.	1 0
494	Limnanthes Douglasii	<i>Douglas's</i>	10	...	101	ha	w & y	¾	7-8	3
495	grandiflora	<i>large-flowered</i>	1	6
496	Linum austriacum	<i>Austrian</i>	5	30	102	hpt†	bl.	3
497	grandiflorum	<i>large-flowered</i>	3
498	— album	<i>white</i>	wh.	3
499	nervosum	<i>nerved</i>	l. b.	1½	3
500	perenne	<i>perennial</i>	bl.	2	3
501	Linaria alpina	<i>alpine</i>	14	59	129	1	6
502	— flava	<i>yellow</i>	yel.	6
503	Lisianthus Russellianus	<i>Duke of Bedford's</i>	5	25	93	G.	pur.	3	6
504	Loisa aurantiaca**	<i>orange</i>	18	48	103	hpt†	or.	cl.	6-8	3
505	Herberti**	<i>Hon. Mr. Herbt.'s</i>	d. o.	6
506	Pentlandica**	<i>Pentland's</i>	or.	6
507	— — —	<i>finest mixed**</i>	6
508	tricolor	<i>three-coloured</i>	ha	3col.	1½	7-8	3
509	Lobelia erinoides*	<i>Erinus-like</i>	5	25	104	hlp†	bl.	½	6-8	3
510	— grandiflora*	<i>large-flowered</i>	6
511	— rosea*	<i>rose-coloured</i>	rose	3
512	Erinus*	<i>Erinus</i>	bl.	3
513	gracilis*	<i>slender</i>	ha	7-8	3
514	— alba*	<i>white</i>	wh.	3
515	— bicolor*	<i>two-coloured</i>	var.	3
516	heterophylla major	<i>var.-leav'd major</i>	hlp†	bl.	6
517	cardinalis	<i>Cardinal</i>	G.	sc.	6
518	iguea	<i>flame-coloured</i>	o. s.	1 0
519	ramosa	<i>branching</i>	hlp†	d. b.	6
520	— — —	<i>6 fine sp. mixed</i>	G.	div.	1 0
521	Lopezia, 2 species	<i>(2 species sep.)</i>	1	...	112	ha	red	1	6
522	Lophospermum scandens	<i>climbing**</i>	14	59	129	G.	bish.	cl.	6-8	6
523	— Hendersonii	<i>Henderson's**</i>	spot.	6

<i>A</i> —indicates a variety. () That the word is not literally translated, or is superadded.		Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.	[cliton Rhodo-						feet		s. d.
524	Lophospermum Rhodo-	Rhodochiton**	14	59	129	G. pur.	cl.	6-8	6
525	— — —	finest mixed**	var.	1 0
526	Lötus jacobæus	St. James' Island	17	45	99	gha	dark	1	6
527	Lupinus bicolor	two-coloured	16	ha	p&b.	...	3
528	Hartwègii	Hartweg's	b&w	1½	3
529	mexicanus	Mexican	bl.	...	3
530	mutabilis	variable	var.	2	3
531	— Cruikshanksii	Cruikshanks	3
532	nanus*	dwarf	p&b.	1	3
533	pulchellus	pretty	bl.	1½	3
534	arboreus	tree	div.	4	3
535	élegans	elegant	b&r.	2	3
536	lépidus	pleasing	b&p.	1½	3
537	polyphyllus	many-flowered	hp	bl.	2½	3
538	— albus	white	wh.	...	3
539	— speciosus	showy	w&b	...	3
540	— — —	(30 sp. & var. m.)	div.	div.	1 0
541	Lusània calycina	large-caliced	14	59	129	hpt	wh.	1½	3
542	Lychnis corsica	Corsican	10	31	131	...	red	1	3
543	chalcédónica	Chalcedonian	sc.	2	3
544	— alba	white	wh.	...	3
545	fulgens	glowing	fp†	sc.	1	6
546	Lythrum alatum	winged	11	25	106	...	pur.	1½	5-9
547	— roseum superbum	superb rose	rose	...	6
548	Màdia élegans	elegant	19	54	79	hha	yel.	3	7-8
549	Magnolia grandiflora	large-flowered	13	35	140	hp	wh.	15	7-9
550	tripétala	three-petaled	25	5-8
551	Málope trifida	trifid	16	48	108	hha	red	2	7-8
552	— grandiflora	large-flowered	3
553	— — alba	white	wh.	...	3
554	— — purpurea	purple	pur.	...	6
555	Malva miniata	vermillion	hpt	red	3	6-8
556	moschata	musk	flesh	2	3
557	Morèni	Moreni's	red	3	7-9
558	sempervirens	ever-green	2	7-8
559	zebrina	zebra	ha	stri.	...	3
560	Marty'nia craniolaria	skull (capsuled)	14	59	130	hha	wh.	2½	6
561	fràgrans formosa	beautiful	var	...	6
562	lutea	yellow	yel.	...	6
563	proboscidea	proboscis	li.	...	3
564	Maurandya Barclayana**	Barclay's	129	G.	b&w	cl.	4-9
565	antirrhiniflora**	Antirrhinum fld.	p&w	...	6
566	semperflorens**	ever-flowering	rose	...	6
567	— — —	fine mixed, 6 var.	div.	...	1 0
568	Meembryanthemum, m.	mixed	12	27	89	hha	r&w	½	7-8
569	glàbrum	smooth	yel.	¾	6
570	tricolor	three-coloured	red	½	6
571	— album	white	wh.	...	6
572	Mimosa marginata	bordered	23	51	99	G.	pur.	2	6-8
573	Mimulus cardinalis	Cardinal	14	59	129	hhp†	sc.	...	7-8

A — indicates a variety. () That the word is not literally translated, or is superadded.		U.	O.	N.	H. &	Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
		L.	L.	O.	H.	Dur.	of Fl.	feet		s.d.
624	Ononis rotundifolia	round-leaved	16	45	99	hp	pink	3	5-7	3
625	Orobis Fischeri	Fischer's	17	pur.	2	5-6	6	
626	Oxalis rosea	rose-coloured	10	30	Ox. hlp†	rose	1	6-8	6	
627	Oxylöbium cordifolium	heart-leaved	10	25	99	G.	yel.	3	5-9	6
628	Oxyra chrysanthemoid	chrysanth.-like	19	54	79	ha	yel.	1	7-8	3
629	Pæonia arborea [cs	tree	13	26	124	hp	div.	4	5-7	6
630	— — — —	finest mixed	2	6-8	6	
631	Papaver cröceum	saffron	...	25	114	hpt†	or.	1½	...	6
632	floribundum	bunch-flowered	hb†	sc.	...	7-8	3
633	involveratum	involverate	hpt†	cr.	2	...	3
634	orientale	Oriental	red	3	...	3
635	pulehrrimum	most beautiful	sc.	6
636	spectabile	showy	3
637	Passiflora alata**	winged	16	40	115	S.	3col.	cl.	4-9	1 0
638	cærulea**	blue	hp	bl.	...	6-9	6
639	— — — —	fine mixed	G.	div.	6
640	Patersonia glauca	glaucous	...	38	97	...	pur.	1	5-7	6
641	Pelargonium (Geranium)	finest mixed	...	42	94	...	div.	3	6-9	1 0
642	— — — —	large packet	2 6
643	— — — —	scarlet, 6 var.	sc.	6
644	— — — —	Tom Thumb	6
645	Pentstemon digitalis	Digitatis-like	14	59	129	hpt†	wh.	2	7-9	3
646	atropurpureum	dark purple	pur.	3
647	gentianoides	Gentian-like	red	3
648	— coccineum	scarlet	sc.	3
649	pulehellum	pretty	rose	3
650	speciosum	showy	bl.	1 0
651	— — — —	finest mixed	div.	6
652	Petunia phœnicea	purple	5	25	132	hhp†	pur.	...	6-9	3
653	violæea	violet	vio.	3
654	— alba grandiflora	large white	wh.	6
655	— grandiflora	large-flowered	pur.	6
656	— striata	striped	str.	6
657	nyctaginiflora	Nyctago-flowerd.	wh.	3
658	— — — —	splend. m. 30 var.	div.	1 0
659	Phacelia conspicua	conspicuous	96	ha	bl.	...	7-8	3
660	tanacetiflora	Tansy-leaved	3
661	Phlomis Russelliana	Russell's	14	58	98	hpt†	buff	2	6-8	6
662	— — — —	A fine species	div.	6
663	Phlox Drummondii	Drummond's, 20v	5	25	118	ha	7-9	1 0
664	— coccinea	scarlet	sc.	1 0
665	— Leopoldina	Leopoldina's	r & w	1 0
666	— mesolucua	(white-eyed)	div.	1 0
667	pl. sp. perennans	12 peren. species	hpt†	6-9	1 0
668	Physolobium gracile	slender	10	...	99	G.	1 0
669	Pimölea spectabilis	showy	2	...	134	6-8	1 0
670	Platylöbium triangulare	triangular	16	45	99	...	or.	4	6-9	6
671	Platystemon californicum	Californian	13	25	114	ha	yel.	½	7-8	6
672	Podalyria genistoides	Genista-like	16	45	99	G.	pur.	3	6-7	6
673	Podolöpis gracilis*	slender	19	54	79	hha	pink	1	7-8	6

<i>A</i> — indicates a variety. () That the word is not literally translated, or is superadded.		Cl.	L.	O.	N.	O.	H.	&	Dur.	Col.	of Fl.	Hght.	M. of Flow.	Price.
		L.	L.	N.	H.	Col.	Hght.	M. of Flow.	Price.					
No.												feet		s. d.
674	Podolèpis gràcilis alba*	white	19	54	79	hha	wh.	1	7-8					6
675	chrysantha*	yellow-flowered	yel.					6
676	Podothœca capitata	headed	1½	...					6
677	Poinciàna Gillièsii	Gillies's	10	25	99	S.	...	6	6-9				1 0	
678	pulcherrima	beautiful	r & y	8	...					1 0
679	règia	Royal	er.					2 6
680	Poly'gala speciosa	showy	17	43	119	G.	pur.	5	...					6
681	— — —	3 species, m.	3	...					1 0
682	Portulæca Thellusoni	Thelluson's	11	25	121	hha	sc.	½	7-8					6
683	splendens (Gillièsii)	splendid	er. r.					6
684	— grandiflora	large-flowered					6
685	— — —	fine mixed	div.					6
686	— — —	Nos. 682 to 685					1 6
687	Potentilla formosa	beautiful	12	35	126	hpt	pur.	1½	...					3
688	atrosanguinea	dark red	red					3
689	Garneriana	Miss Garnier's	y & r					1 0
690	Hopwoodiana	Hopwood's	b & r					6
691	insignis	distinguished	yel.	1	...					6
692	leucochroa	white-coloured	wh.					6
693	Mackayana	Mackay's	y & p					6
694	splendens	splendid	yel.					6
695	— — —	fine mixed	div.					6
696	Primula cortusoides	Cortusa-like	5	25	122	hhp	pur.	¾	5-7					6
697	farinosa	mealy	red	½	...					6
698	sineusis fimbriata	Chinese fringed	fgh	r & w	1	...				1 0	
699	— alba	white	wh.					6
700	— atro-rosea	dark rose	rose					6
701	Prœtea, pl. sp. ex.	(10 fine sp. sep.)	4	...	123	G.	div.	div.	div.					5 0
702	— — —	fine mixed					1 0
703	Ramonda pyrenæica	Pyrenean	5	...	132	hhp	pur.	¼	6-8					6
704	Ranunculus asiaticus	Asiatic	13	35	124	hp	div.	1	...				1 0	
705	Rhexia virginica	Virginian	8	25	...	hpt	pur.	¾	...					6
706	Rhodanthe Manglèsii	Capt. Mangles'	19	51	79	hha	pink	1	7-8					6
707	Rosa, pl. sp.	(fine mixed)	12	35	126	hp	div.	div.	6-9					6
708	Rudbeckia fulgida	shining	19	55	79	hpt	yel.	3	7-8					6
709	— — —	4 fine species, m.					6
710	Salpiglossis Barclayana	Barclay's	14	59	132	hha	br.	2	7-9					6
711	atropurpurea	dark purple	pur.					6
712	— hybrida major	larger hybrid	var.					6
713	— picta	painted					6
714	— lutea	yellow	yel.					6
715	— — —	splendid mixed	div.					1 0
716	Salvia coecinea	scarlet	2	25	98	hlp	b & w	...	7-8					6
717	limbata	limbata	bord					3
718	lusitânica	Portugal	bl.					3
719	pâtens	(splendid blue)					1 0
720	— — —	— — —	div.					6
721	Sanvitàlia procumbens	procumbent	19	54	79	hha	yel.	tr.	...					6
722	Saponaria calàbria	Calabrian	10	26	131	ha	red	¾	5-8					6
723	Saxifraga, pl. sp.	(3 fine species)	hpt	div.	1	5-7					6

<i>A— indicates a variety. () That the word is not literally translated, or is superadded.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		s. d.
724	Scabiösa elegans	<i>elegant</i>	4	25	85	hpt	bl.	1	6-8	6
725	caucäsica	<i>Caucasian</i>	l. b.	1	...	6
726	Schizanthus Grahämi	<i>Graham's</i>	14	59	129	hha	r & y	2	7-8	6
727	Hookeri	<i>Hooker's</i>	var.	6
728	retusus	<i>retuse</i>	6
729	pinnatus, pl. var.	<i>pinnate, mixed</i>	ha	div.	1½	...	3
730	pinnatus	<i>pinnate</i>	l. p. y.	3
731	— albus	<i>white</i>	wh.	3
732	— Priestii	<i>Priest's</i>	3
733	— pulchellus	<i>pretty</i>	w & p	3
734	— venustus	<i>beautiful</i>	dark	3
735	humilis	<i>dwarf</i>	var.	1	...	3
736	porrigens	<i>spreading</i>	1½	...	3
737	Sehizopetalon Walkeri	<i>Walker's</i>	15	61	83	hha	wh.	1	...	6
738	Scilla, 4 species	<i>(4 fine species)</i>	6	25	...	hp	b & w	...	5-7	6
739	Scutellaria, 6 sp. ex.	<i>(6 fine species)</i>	14	58	98	hpt	div.	...	6-7	6
740	Seyphanthus elegans	<i>elegant</i>	18	48	103	hht	yel.	cl.	7-8	6
741	Sedum cæruleum	<i>blue</i>	10	30	82	ha	bl.	½	...	6
742	Serraria, 6 sp. capensis	<i>6 Cape species</i>	4	25	123	G.	p & p	2	6-8	1 0
743	Silene compacta	<i>compact</i>	10	28	131	hbt	pink	1	7-8	3
744	fimbriata	<i>fringed</i>	hpt	wh.	1½	6-7	3
745	pendula	<i>pendulous</i>	ha	rosc	1	7-8	3
746	regia	<i>royal</i>	cr.	...	6-7	6
747	picta	<i>painted</i>	pink	...	7-8	3
748	Siphocampylos, 2 sp.	<i>(2 fine species)</i>	5	25	104	G.	r & y	3	...	6
749	Sollya heterophylla	<i>various-leaved</i>	99	...	bl.	cl.	6-9	6
750	Sparaxis, pl. var.	<i>(splendid mixed)</i>	3	...	78	fgl	div.	1	6-7	6
751	Spatalla, pl. sp. capensis	<i>mixed Cape sp.</i>	8	...	87	G.	pur.	2	5-8	1 0
752	Sphenogyne speciosa	<i>showy</i>	19	55	79	hha	yel.	1	7-8	6
753	— grandiflora	<i>large-flowered</i>	6
754	Stachys coccinea	<i>scarlet</i>	14	58	98	hpt	sc.	1½	6-8	6
755	grandiflora	<i>large-flowered</i>	red	6
756	purpurea	<i>purple</i>	pur.	6
757	Stätice eximia	<i>choice</i>	5	30	117	...	red	1	...	6
758	Pseudo-armëria	<i>(bright pink)</i>	pink	6
759	speciosa	<i>showy</i>	wh.	6
760	Stenactis speciosa	<i>showy</i>	19	54	79	...	pur.	2	...	3
761	Stëvia purpurea	<i>purple</i>	...	53	1½	7-8	3
762	serrata	<i>serrated</i>	fish	3
763	Stipa pennata et gigantea	<i>feathered & giant</i>	3	26	92	...	gr.	2-3	...	6
764	Streptocarpus Rexii	<i>Rex's</i>	2	25	70	fgl	bl.	½	6-8	6
765	Sutherlandia grandiflora	<i>large-flowered</i>	17	45	99	hht	sc.	3	7-8	6
766	Swainsonia galcigifolia	<i>Galega-like</i>	G.	r & w	2	6-8	6
767	Tæsonia pinnatistipula**	<i>pinnate-stipuled</i>	16	40	115	...	rosc	cl.	6-9	1 0
768	Tagètes lucida	<i>shining</i>	19	54	79	...	yel.	1	7-8	6
769	signata (tenuifolia)*	<i>fine-leaved</i>	hha	or.	6
770	Telckia speciosa	<i>showy</i>	hpt	yel.	4	6-8	6
771	Thunbergia alata**	<i>winged</i>	2	25	62	G.	y & d	cl.	6-9	6
772	— alba	<i>white</i>	w & d	6
773	— aurantiaca	<i>orange</i>	o & d	6

A — indicates a variety. () That the word is not literally translated, or is superadded.		L. C.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
		feet	s. d.						
No.									
774	Thunbergia alata Bakeri	Baker's	2	25	62	G. wh.	cl.	6-9	6
775	— mesoleuca	(white-eyed)	y & w	6
776	— nova, 4 var.	(4 fine new v.)	div.	1 0
777	— — —	Nos. 771 to 776.	3 0
778	Tigridia conchiflora	shell-flowered	16	38	97	hp	yel.	1	7-9
779	Pavonia	Picacook	o & s	6
780	Trachelium caeruleum	blue	5	25	73	fgh	bl.	2	...
781	— flore-pleno	double	6
782	Tropaeolum brachyceras	short-horned	8	...	135	G.	yel.	cl.	...
783	Jarrattii	Jarratt's	s & y	6
784	Lobbianum	Lobb's	sc.	1 0
785	Moritzianum	Moritz's	1 0
786	pentaphyllum	five-leaved	or. y.	6
787	tricolorum	three-coloured	or. p.	1 0
788	— grandiflorum	large-flowered	1 0
789	peregrinum	(Canary-bird)	lha	yel.	...	6
790	Tweedia caerulea	blue	5	26	67	hlp†	b.	cl.	6-8
791	Veratrum nigrum	black	23	51	113	hp	d. p.	4	...
792	Verbascum formosum	beautiful	5	25	132	...	yel.	2	7-8
793	phoeniceum	purple	pur.	...	3
794	Verbena Aubletia	Aublet's	14	59	138	hlp†	li.	1	6-9
795	erinoides	erinus-like	6
796	pulchella	pretty	bl.	6
797	pulcherrima	most pretty	6
798	venosa	veiny	rose	6
799	— — —	splendid mixed	div.	1 0
800	Veronica speciosa	showy	2	25	129	fgh	pur.	...	6
801	Viscaria caeli-rosa	Rose of heaven	10	30	131	ha	flsh	...	7-8
802	oculata	dark-eyed	rose	6
803	— alba	white	wh.	6
804	Vinca rosea et alba	rose and white	5	25	65	fgh	r & w	...	3-9
805	Viola odorata	fragrant	139	hlp†	div.	...	6
806	— — —	3 species, m.	5-7	6
807	Zinnia elegans	elegant	19	54	79	lha	vio.	2½	7-9
808	— alba	white	wh.	6
809	— aurantiaca	orange	or.	6
810	— coccinea	scarlet	sc.	6
811	— — major	scarlet	6
812	— flava	yellow	yel.	6
813	— kermesina	crimson	cr.	6
814	— purpurea	purple	pur.	6
815	— rosea	rose	rose	6
816	— — —	splendid m. 30 v.	div.	1 0
817	— — —	Nos. 807 to 818.	5 0
818	Fine mixed Greenhouse Seeds	s. d.	1	0	820	Fine mixed Cape Seeds, gb	...	1	0
819	Fine mixed Hothouse Seeds	1	0	821	Fine mixed Bolivian Seeds, gb	1	0		

The following plants are best known by the English Names, but as the Scientific Name is requisite to show the genus to which they belong, it is also given. Such Popular Names as Convolvulus Minor, Flos Adonis, White Candytuft, Columbine, &c., have no affinity with the Latin, and are not to be considered as translations.

A — is employed to indicate varieties.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet		s. d.	
822	Aster, Chinese, m.	<i>Aster sinensis, pl. var.</i>	19	54	79	lha	div.	2	7-9	3
823	quilled (German)	— <i>fistulosus, 20 v.</i>	6
824	— dark blue	— <i>atro-cæruleus</i>	d. b.	3
825	— light blue	— <i>late-cæruleus</i>	l. b.	3
826	— dark red	— <i>atrorubens</i>	d. r.	3
827	— rose	— <i>roseus</i>	rose	3
828	— Turkey	— <i>turcicus</i>	cr.	3
829	— white	— <i>albus</i>	wh.	3
830	— new Globe	— <i>globosus novus</i>	div.	6
831	— new pyramidal	— <i>pyramidalis</i>	6
832	— variegated	— <i>variegatus</i>	6
833	— new dwarf	— <i>nanus novus</i>	1	7-8	...	6
834	Auricula, alpine	<i>Primula Auricula</i>	5	25	122	hp	6
835	finest prize	— — —	2 6
836	Balsam, finest m.	<i>Balsamina hortensis</i>	68	ta	...	2	7-9	6
837	double purple	— <i>purpurea plena</i>	pur.	3
838	— dark rose	— <i>atro-rosea</i> "	rose	3
839	— scarlet	— <i>coccinea</i> "	sc.	3
840	— white	— <i>candida</i> "	wh.	3
841	— striped	— <i>striata</i> "	div.	6
842	— Camellia	— <i>Camelliaflora</i>	6
843	— dwarf scarlet	— <i>coccinea nova</i>	sc.	1	3
844	— mixed dwarf	— <i>nana nova</i>	div.	6
845	Broom, ornamental	<i>Cytisus et Spartium</i>	16	45	99	hp	y&w	5	7-8	6
846	Candytuft, white	<i>Iberis amara (bitter)</i>	15	60	83	ha	wh.	1	...	3
847	purple	<i>umbellata</i>	pur.	3
848	new crimson	— <i>phœnicea</i>	cr.	3
849	new blush	— <i>carnea nova</i>	blsh.	3
850	new Rocket	<i>coronaria</i>	wh.	3
851	fragrant	<i>odorata</i>	3
852	mixed	— — —	div.	3
853	Canterbury Bells	<i>Campánula Medium</i>	5	25	73	hp†	bl.	2	...	3
854	white	— <i>alba</i>	wh.	3
855	double	— <i>flöre-pleno</i>	w&b	6
856	Capsicum, 10 var.	<i>Capsicum annuum, &c.</i>	132	ta	y&r.	6
857	Catchfly, Lobel's	<i>Silene Armeria</i>	10	28	131	ha	red	1	...	3
858	white	— <i>alba</i>	wh.	3
859	Chrysanthemum, m.	<i>Chrysan., 2 var.</i>	19	54	79	...	y&w	3	...	3
860	tricolor	<i>carinatum</i>	3col.	1	3
861	new golden	— <i>flavum</i>	yel.	3
862	showy	<i>speciosum</i>	3
863	Clary, red-topt	<i>Salvia Horminum</i>	2	25	98	...	red	1½	...	3
864	purple-topt	— <i>purpurea</i>	pur.	3
865	Cockscomb, dwarf	<i>Celosia cristata, nana</i>	5	...	63	ta	...	1	...	6
866	Columbine, double	<i>Aquilegia vulgaris</i>	13	30	124	hp†	div.	2	6-7	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	L. & Dur.	Col. of Fl.	Hight.	M. of Flow.	Price.
No.								feet		s. d.
867	Convolvulus minor	<i>Convolvulus tricolor</i>	5	25	81	ha	b. v.	tr.	6-8	3
868	new dark	— <i>atropurpureus</i>	pur.	3
869	large-flowered	— <i>grandiflorus</i>	6
870	new variegated	— <i>variegatus novus</i>	var.	6
871	white	<i>bicolor</i>	w&y	3
872	mixed	— — —	div.	3
873	— — —	Nos. 867 to 872	1 6
874	Convolv. Major, m.	<i>Ipomœa purpurea</i>	hha	...	cl.	7-9	3
875	extra fine, 20 v.	— — —	1 0
876	new crimson	— <i>kermesinus</i>	cr.	1 0
877	rose-coloured	— <i>roseus</i>	rose	3
878	spotted	— <i>punctatus</i>	sp.	3
879	striped	— <i>striatus</i>	st.	3
880	violet	— <i>violaceus</i>	vi.	3
881	very dark	— <i>atroviolaceus</i>	d.v.	3
882	— — —	Nos. 875 to 881	div.	3 0
883	Cowslip, mixed	<i>Primula veris</i>	122	hpt	...	$\frac{1}{2}$	3-6	3
884	Cyanus, sky-blue	<i>Centaurea Cyanus</i>	19	55	79	ha	bl.	2	7-8	3
885	brown	— <i>brunnea</i>	br.	3
886	fine mixed	— — —	div.	3
887	Egg Plant, purple	<i>Solanum ovigera</i>	5	25	132	ta	pur.	3
888	white-fruited	— <i>leucocarpou</i>	wh.	3
889	Flos Adonis	<i>Adonis œstivâlis</i>	13	35	124	ha	sc.	1	...	3
890	flame-coloured	<i>flammea</i>	fl.	3
891	Fraxinella, red	<i>Dieltannus Fraxinella</i>	10	25	128	hp	red	3	7-9	3
892	white	— <i>albus</i> <i>Lyrium</i>	wh.	3
893	French Honeysuckle	<i>Hedy'sarum coronâri-</i>	17	45	99	hha	sc.	2	7-8	3
894	white	— <i>album</i>	wh.	3
895	Globe Amaranthus	<i>Gomphrèna globôsa</i>	5	25	63	fgh	pur.	3
896	white	— <i>alba</i>	wh.	3
897	mixed	— — —	div.	6
898	Gourd, Bottle	<i>Lagenâria vulgaris</i>	21	49	84	fa	yel.	tr.	7-9	6
899	Hercules' Club	<i>clavata</i>	6
900	Mammoth	<i>Cucurbita Pèpo</i>	3
901	orange	<i>aurantia</i>	3
902	striped pear	<i>ovifera</i>	3
903	mixed	— — —	3
904	Blawkweed, purple	<i>Crèpis rubra</i>	19	53	79	ha	pur.	1	7-8	3
905	snow-white	— <i>nivâlis</i>	wh.	3
906	yellow	<i>Tolpis barbata</i>	yel.	3
907	silvery	— <i>argentea</i>	sil.	3
908	Heartscase (Pansy)	<i>Viola tricolor</i>	5	25	139	hpt	div.	...	6-8	6
909	Hollyhoek, Antwerp	<i>Althœa ficifolia</i>	16	18	108	hp	buff	7	...	3
910	double rose	<i>rosea</i>	rose	3
911	— black	— <i>nigra</i>	bla.	3
912	— purple	— <i>purpurea</i>	pur.	3
913	— red	— <i>rubra</i>	red	3
914	— yellow	— <i>lutea</i>	yel.	3
915	— white	— <i>alba</i>	wh.	3
916	30 var. mixed	— — —	div.	1 0

A — is employed to indicate varieties.		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
							feet		s. d.	
917	Hollyhoek, Chinese	<i>Althæa chinensis</i>	16	48	108	hp†	vio.	3	6-8	3
918	— purple	— <i>purpurea</i>	pur.	3
919	— mixed	— —	p&v.	3
920	— — —	Nos. 909 to 919	div.	3-7	...	3 0
921	Horn Poppy, mixed	<i>Glaucium, pl. var.</i>	13	25	114	ha	...	2	7-8	3
922	scarlet	<i>phœniceum</i>	sc.	3
923	violet	<i>Rumœria hybrida</i>	vio.	3
924	Ice Plant	<i>Mesemb. crystallinum</i>	12	27	89	ta	wh.	tr.	...	3
925	Jacobæa, dou. m.	<i>Senecio elegans, fl. pl.</i>	19	54	79	hha	div.	1½	...	6
926	double crimson	— <i>hermesina</i>	cr.	3
927	— mulberry	— <i>rubro-purpurea</i>	mul.	3
928	— purple	— <i>purpurea</i>	pur.	3
929	— rose	— <i>rosea</i>	rose	6
930	— violet	— <i>violæca</i>	vio.	3
931	— white	— <i>alba</i>	wh.	3
932	— — —	Nos. 925 to 931	div.	2 0
933	Larkspur, dwarf m.	<i>Delphinium Ajacis</i>	13	28	124	ha	...	1	...	3
934	dwarf, German	<i>humble pl. var.</i>	6
935	— blue	— <i>caeleste</i>	bl.	3
936	— rose	— <i>roseum</i>	rose	3
937	— white	— <i>album</i>	wh.	3
938	— unique	— <i>bicolor</i>	r & w	3
939	Larkspur, tall m.	<i>clatior, pl. var.</i>	div.	1½	...	3
940	tall German	<i>clatior, var.</i>	6
941	— blue	— <i>caeruleum</i>	bl.	3
942	— rose	— <i>roseum</i>	rose	3
943	— white	— <i>album</i>	wh.	3
944	branching Ger.	<i>Consolida, pl. var.</i>	div.	2	...	6
945	— blue	— <i>caeleste</i>	bl.	3
946	— rose	— <i>roseum</i>	rose	3
947	10 fine var. sep.	— — —	div.	2 0
948	Lavatera, red	<i>Lavatera trimestris</i>	16	48	108	ha	rose	3	...	3
949	white	— <i>alba</i>	wh.	3
950	Love-lies-bleeding	<i>Amaranthus caudatus</i>	21	40	63	...	red	tr.	...	3
951	Lupins, white	<i>Lupinus albus</i>	16	45	99	...	wh.	2	...	3
952	Dutch blue	<i>canaliculatus</i>	bl.	3
953	large blue	<i>hirsutus</i>	3
954	large rose	<i>pilosus</i>	rose	3
955	yellow	<i>luteus</i>	yel.	1½	...	3
956	straw-coloured	— <i>stramineus</i>	str.	3
957	mixed	— — —	div.	2	...	3
958	Mallow, 5 var. sep.	<i>Malva pl. sp. et var.</i>	...	48	108	1 0
959	Marigold, French, m.	<i>Tagetes patula, 10 var.</i>	19	54	79	hha	...	1½	7-9	6
960	French, dwarf	— <i>humilis</i>	1	...	3
961	— superb striped	— <i>striata superba</i>	str.	1½	...	6
962	— quilled	— <i>fistulosa</i>	div.	3
963	African, m.	<i>erecta, pl. var.</i>	y & o	2	...	3
964	— lemon	— <i>citrina</i>	lem.	3
965	— orange	— <i>aurantiaca</i>	or.	3
966	— quilled	— <i>fistulosa</i>	y & o	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	Al. of Flow.	Price.
No.								feet		s. d.
967	Marigold, Cape	<i>Calendula pluviâlis</i>	19	56	79	ha	wh.	1	7-8	3
968	hybrid	<i>hybrida</i>	3
969	double, pot	<i>officinâlis, fl. pl.</i>	yel.	3
970	Marvel of Peru	<i>Mirabilis Jalapa</i>	5	25	110	lhp†	div.	3	7-9	3
971	purple	— <i>purpurea</i>	pur.	3
972	red	— <i>rubra</i>	red	3
973	striped, 3 var.	— <i>striata</i>	stri.	3
974	yellow	— <i>flava</i>	yel.	3
975	white	— <i>alba</i>	wh.	3
976	long-flowered	<i>longiflora</i>	3
977	12 fine var. mix.	— — —	div.	1 0
978	Mignonette, lb. 8s.	<i>Reseda odorata, oz. 6d.</i>	11	28	125	ha	buff	1½	7-8	3
979	Monkshood, mixt.	<i>Aconitum, pl. sp.</i>	13	...	124	hp	b&w	2	6-8	3
980	Nasturtions, tall	<i>Tropæolum Majus</i>	8	43	135	ha	o&y.	cl.	7-8	3
981	new carmine	— <i>niniatum</i>	car.	3
982	dark red	— <i>atrosanguineum</i>	d. r.	3
983	Shillings	— <i>Shillingii</i>	spot.	3
984	three-spotted	— <i>trimaculatum</i>	3
985	new dwarf	<i>minus</i>	s&o.	3
986	common dwarf	— — —	or.	3
987	Palma Christi	<i>Ricinus major</i>	21	49	88	lha	gr.	6	7-9	3
988	Pea, Tangier	<i>Lathyrus tingitânis</i>	17	45	99	ha	sc.	4	7-8	3
989	new striped	— <i>striatus novus</i>	str.	3
990	Pea, Sweet, n. lb. 4s	<i>odoratus, pl. var.</i>	div.	3
991	black	— <i>niger</i>	bla.	3
992	painted Lady	— <i>pictus</i>	var.	3
993	purple	— <i>purpureus</i>	pur.	3
994	scarlet	— <i>coccineus</i>	sc.	3
995	striped	— <i>striatus</i>	str.	3
996	white	— <i>albus</i>	wh.	3
997	Persicaria, red	<i>Polygonum orientale</i>	8	28	120	...	red	6	...	3
998	white	— <i>album</i>	wh.	3
999	mixed	— — —	r&w	3
1000	Polyanthus, ex. fine	<i>Primula elâlior, var.</i>	5	25	122	lhp†	div.	½	4-6	6
1001	Poppy, double, n.	<i>Papaver somniferum</i>	13	...	114	ha	...	2	7-8	3
1002	double black	— <i>nigrum</i>	bla.	3
1003	— Carnation	— <i>caryophylloides</i>	var.	3
1004	— fringed	— <i>fimbriatum</i>	div.	3
1005	— Himmlayan	— <i>Himmelayan</i>	3
1006	— scarlet	— <i>coccineum</i>	sc.	3
1007	— striped rose	— <i>roseum striatum</i>	rosc	3
1008	— striped red	— <i>rubrumstriatum</i>	red	3
1009	— white	— <i>album</i>	wh.	3
1010	French double	<i>Rheas, fl. pleno</i>	div.	1	...	3
1011	— bordered	— <i>limbatum</i>	red	3
1012	— striped	— <i>striatum</i>	str.	3
1013	No. 1001 to 1012	— — —	div.	3
1014	Primrose, mixed	<i>Primula vulgaris</i>	5	25	122	hpf	...	¼	4-6	3
1015	Princes Feather	<i>Anaranthus hypocon.</i>	21	40	63	ha	pur.	2½	7-8	3
1016	Quaking Grass	<i>Briza maxima</i>	3	26	92	...	gr.	1½	...	3

<i>A — is employed to indicate varieties.</i>		L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.	
No.							feet	s. d.		
1017	Qua. Grass, slender	<i>Briza grácilis</i>	3	26	92	ha	gr.	1	7-8	3
1018	Rocket, purple	<i>Hesperis matronális</i>	15	61	83	hp	pur.	...	5-8	3
1019	swcet	<i>tristis</i>	wh.	3
1020	Scabious, dwarf	<i>Scabiosa nána</i>	4	25	85	ha	div.	...	7-8	3
1021	very dark	<i>atropurpúrea</i>	hp†	pur.	2	...	3
1022	splendid Ger.	— <i>superba</i>	div.	6
1023	Scotch Thistle	<i>Carduus, sp.</i>	19	55	79	...	pur.	8	...	6
1024	Sensitive Plant	<i>Mimúsa sensitíva</i>	23	51	99	fgh	pink	2	6-9	6
1025	Spanish Broom	<i>Spartium júnceum</i>	16	45	...	hp	yel.	3	7-8	3
1026	Snapdragon, m.	<i>Antirrhínium Május</i>	14	59	129	hp†	div.	2	6-9	3
1027	splendid m. 40v.	— — —	str.	6
1028	Carnation	— <i>caryophylloides</i>	3
1029	— yellow	— <i>lúcum</i>	6
1030	four-coloured	— <i>quadricolor</i>	4col.	6
1031	orange	— <i>aurantiacum</i>	or.	6
1032	pale yellow	— <i>achroleucum</i>	p. y.	3
1033	painted	— <i>pictum</i>	var.	3
1034	scarlet	— <i>coccíncum</i>	sc.	3
1035	white	— <i>album</i>	wh.	3
1036	yellow	— <i>flávum</i>	yel.	3
1037	Nos. 1027 to 1036	— — —	div.	3 0
1038	Stock, 10 week, m.	<i>Mathiòla annua</i>	15	61	83	hha	...	1¼	7-9	3
1039	scarlet	— <i>caccínea</i>	cr.	3
1040	intermediate	— <i>intermèdia</i>	3
1041	large scarlet	— <i>májor</i>	2	...	3
1042	purple	— <i>purpúrea</i>	pur.	1¼	...	3
1043	white	— <i>alba</i>	wh.	3
1044	Stock, Germ., 20 v.	<i>Mathiòla annua, var.</i>	div.	1	...	6
1045	large packet	— — —	1 0
1046	dwarf carmine	<i>densiflòra, min.</i>	var.	6
1047	— dark carmine	— <i>atra-miniàta</i>	d. v.	6
1048	— crimson	— <i>kermesina</i>	cr.	6
1049	— dark crimson	— <i>atrarúbens</i>	d. c.	6
1050	— dark blue	— <i>atro-cærúlea</i>	d. b.	6
1051	— lilac	— <i>tilacina</i>	li.	6
1052	— light blue	— <i>late-cærútea</i>	l. b.	6
1053	— peach-bloss.	— <i>persiciflòra</i>	p. bl.	6
1054	— rose-coloured	— <i>ròsea</i>	rose	6
1055	— yellow	— <i>lútea</i>	yel.	6
1056	— violet	— <i>vialæca</i>	vio.	6
1057	— white	— <i>alba</i>	wh.	6
1058	Nos. 1046 to 1057	— — —	div.	5 0
1059	Stock, Prussian, m.	<i>græca (cheirifolia)</i>	3
1060	purple	— <i>purpúrea</i>	pur.	3
1061	scarlet	— <i>coccínea</i>	cr.	3
1062	rose	— <i>ròsea</i>	rose	3
1063	white	— <i>alba</i>	wh.	3
1064	Autumnal	<i>autumnális</i>	div.	1¼	...	6
1065	Stock, Brompt, m.	<i>Mathiò. simplicicaulis</i>	hb†	...	2½	6-8	3
1066	purple	— <i>purpúrea</i>	pur.	3

<i>A — is employed to indicate varieties.</i>			L. Cl.	L. O.	N. O.	H. & Dur.	Col. of Fl.	Hght.	M. of Flow.	Price.
No.								feet		
1067	Stock, Brompt., s.	<i>Mathio. simplicicaulis</i>	15	61	83	hb†	cr.	2½	6-8	3
1068	white	— <i>alba</i>	wh.	3
1069	Stock, Queen, m.	<i>Mathiola incana</i>	div.	1½	...	3
1070	purple	— <i>purpurea</i>	pur.	3
1071	scarlet	— <i>coecinea</i>	cr.	3
1072	white	— <i>alba</i>	wh.	3
1073	Imperial	<i>imperialis, m.</i>	hp†	d.bl.	...	5-9	6
1074	— light blue	— <i>late-cerulea</i>	l.bl.	6
1075	— red	— <i>rubra</i>	red	6
1076	— rose	— <i>rosea</i>	rose	6
1077	Nos. 1073 to 1076	— — —	div.	1 6
1078	Sunflower, d. tall	<i>Helianthus annuus</i>	19	55	79	ha	yel.	6	7-8	3
1079	dwarf	<i>indicus</i>	3	...	3
1080	Sweet Alyssum	<i>Alyssum maritimum</i>	15	60	83	hp†	wh.	1	...	3
1081	Sweet Sultan, p.	<i>Centaurea moschata</i>	19	55	79	hha	pur.	2	...	3
1082	white	— <i>alba</i>	wh.	3
1083	yellow	— <i>suavolens</i>	yel.	3
1084	Venus' Look.-glass	<i>Campánula Spéculum</i>	5	25	73	ha	bl.	¾	6-7	3
1085	rose	— <i>rosea</i>	rose	3
1086	white	— <i>alba</i>	wh.	3
1087	5 var. separate	— — — [ium	div.	1 0
1088	Venus' Navelwort	<i>Cynoglossum linifol-</i>	71	...	wh.	1	...	3
1089	Virg. Stk., r. oz. 6d.	<i>Malconia maritima</i>	15	61	83	...	li.	½	...	3
1090	white	— <i>alba</i>	wh.	3
1091	Wallflower, dark	<i>Cheiranthus Cheiri</i>	hp	br.	2	5-8	3
1092	Chameleon	— <i>variabilis</i>	var.	3
1093	purple	— <i>purpurea</i>	pur.	3
1094	yellow	— <i>flava</i>	yel.	3
1095	double German	<i>flöre-pleno</i>	div.	6
1096	— black brown	— <i>nigrescens</i>	d.br.	6
1097	— blue	— <i>caerulea</i>	bl.	6
1098	— large-flower.	— <i>grandiflora</i>	br.	6
1099	— pyramidal	— <i>pyramidalis</i>	6
1100	20 var., mixed	— — —	div.	6
1101	Winter Cherry	<i>Physalis Alkakengi</i>	5	25	132	ha	wh.	2½	7-9	3
1102	Xeranthemum, p.	<i>Xeranthem. annuum</i>	19	54	79	...	pur.	1½	7-8	3
1103	white	— <i>album</i> [teatum	wh.	3
1104	yellow	<i>Elichrysum brac-</i>	hha	yel.	2	...	3
1105	new white	— <i>album novum</i>	wh.	3
1106	splendid	— <i>splendens</i>	var.	3
1107	Zinnia, golden yel.	<i>Zinnia aurea</i>	yel.	6
1108	large-flowered	<i>grandiflora</i>	red	3
1109	mixed	— — —	r & y	3

For the convenience of those Ladies and Gentlemen who wish to save time, J. C. has made the following selection; the list consists of Annuals and such Biennials and Perennials as flower the same year.

1. *Hardy Annuals.*—Nos. 54, 107, 121, 125, 173, 190, 222, 260, 302, 342, 343, 344, 347, 348, 350, 363, 386 to 389, 423, 430, 471, 486, 487, 528, 532, 540, 628, 671, 745, 801 to 803, 873, 931, 933, 944, 1001, 1010, 1037.

2. *Half-hardy Annuals*.—Nos. 56, 57, 132, 144 to 146, 152, 159, 193, 214, 215, 218, 219, 253, 303, 325, 357 to 360, 379, 382, 419, 424, 426, 443, 464, 465, 504, &c., 509, &c., 552, 561, 569, 570, 578, 584, 600, 622, 658, 663, &c., 673, &c., 686, 706, 710, &c., 721, 737, 752, 769, 799, 810, 817, 823, 830, 882, 908, 932, 959, &c., 1045, 1058, 1081, &c.

3. *Greenhouse Seeds; these do not all flower the first year*.—Nos. 137, 138, 150, 188, 199, 200, 236, 326, 338, 355, 392, 449 to 456, 472 to 476, 518, 567, 642, 643, 644, 668, 777, 818, 836, &c.; also Nos. 68, 132, 303, 666.

And also the assortments page 4 and 27, all of which can be highly recommended. J. C. has omitted many desirable sorts, which are too well known to require pointing out.

ASSORTMENTS OF FLOWER SEEDS.

h, hardy; hh, half hardy.				s. d.	
No.		s.	d.		
1110	6 fine var. Calliopsis, hha....	1	6	1141 Mulberry, 3 fine species	1 0
1111	7 " " Clarkia, ha	1	6	1142 Quince	6
1112	6 Everlasting Flowers, lha..	1	6	1143 Raspberry, red and mixed	1 0
1113	6 fine Linaria, ha	1	0	1144 Strawberry, red & white alpine	1 0
1114	6 " Nemóphila, ha.....	1	6	1145 — British Queen	1 0
1115	8 " Enothéra & Godétia, ha	1	6	1146 — various fine sorts mixed	1 0
1116	6 " Lobelia, hh	2	0	1147 — finest mix., for preserv'g	6
1117	6 " Marigold, lha	1	6	1148 Water Melon, fine mixed	6
1118	8 " Schizanthus, ha	2	0	FLOWERING BULBS.	
1119	4 " Sweet William, hp ...	1	6	Achmènes, 12 in 4 fine sorts	2 6
1120	6 " Wallflower, hp.....	2	0	Amaryllis Bella-Donna each	1 0
1121	50 finest h. Annuals, 10s.; 25	5	0	— formosissima	6
1122	50 " lh. do. 20s.; 25	10	0	— 3 greenhouse sp., each 3s. 6d. for	10 0
1123	50 fine h. perennials, 10s.; 25	6	0	— 2 species, South America, each	3 0

The selection of the above must be left entirely to J. C.

FRUIT SEEDS—per Packet.

1124	Currants, red, white & black	6	Arun, fine new sp. Bolivia, each	5 0
1125	Gooseberry, finest mixed	6	Dahlia, extra fine double, per doz.	15 0
1126	Melon, Beechwood, extra fine	1 0	Gladiolus oppositiflorus, new v. "	2 0
1127	— Carter's green flesh	1 0	— psittacinus (natalensis)	1 6
1128	— early Cantalupe	6	— superbus (gandiveusis) each	2 0
1129	— Evans' scarlet flesh	1 0	Lilium lancifolium, rubrum	10 6
1130	— green flesh, fine	6	— — album	5 0
1131	— hardest early Cantalupe	6	Pancrätium illy'ricum	1 6
1132	— netted Persian	6	Ranunculus, finest mixed, per 100	7 6
1133	— Pekin, new and extra fine	1 6	— 100 in 100 ext. fine var. named	20 0
1134	— scarlet flesh	6	— 50 do. do. 10s.; 25 do. do.	5 0
1135	— Snow's prolific	1 0	— mixed Turban Ranunc. per 100	5 0
1136	— Sweet, of Ispahan	1 0	Tigrídia Pavonia, 1s. 6d. v. large, doz.	2 6
1137	— Terry's green flesh, extra	1 0	— conchiflora, yellow	6 0
1138	— Windsor Prize, fine	1 0	— — superba, scarlet	18 0
1139	— fine mixed Melon	6	Tuberoses, double Italian	4 0
1140	— 12 fine other var. separate	5 0		

KITCHEN-GARDEN SEEDS.

Warranted Genuine.

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
	<i>See note end of page 31.</i>	<i>s. d.</i>			<i>s. d.</i>
3 and 4	Artichoke, green per oz.	9	4 to 5	Broccoli, Hampsh. gr. p. oz.	1 6
	purple "	9		Hampton Court "	1 0
	Asparagus, giant, oz. 2d. p. lb.	2 6		Howden's superb "	1 6
11 to 6	Beans, early Mazagan p. qt.	6		Impregnated white "	1 0
	early dwarf Fau "	6		Invisible "	1 0
	— long-pod "	6		Knight's protecting "	1 0
	— Lisbon do. "	6		Lake's white "	1 0
	Johnson's Wonderful, "	6		large Spring purple "	1 0
	Sword long-pod "	6		— — white "	1 0
	green long-pod "	6		late close-headed p. "	1 0
1 to 5	large Windsor "	8		— purple "	1 0
	— new thick do. "	8		— white "	1 0
	— Taylor's do. "	8		London, particular "	2 6
	— green do. "	8		Miller's late "	1 0
4 to 6	Bect, fine large red "	3		new Victoria "	1 6
	new German "	6		Portsmouth "	1 0
	new black "	6		Potter's new pink "	2 6
	new dark crimson "	6		Snow's superb "	1 0
	green "	3		Solphur "	1 0
	silver-stalked "	3		very late Danish "	1 0
	white "	3		white Southampt. "	1 0
	Silesian sugar per lb.	2 0		Wilcox's large wh. "	1 0
4 to 5	Borecole, or Kail, brown p. oz.	3		8 best for succession	8 0
	green curled dwarf "	3		4 do. do.	5 0
	curled tall "	3	5 to 6	Broccoli sprouts, fine p. oz.	6
	new Asparagus "	6		imported Belgian "	1 0
	Buda "	6	3 to 9	Cabbage, Atkins' Match. "	6
	variegated, &c. &c. "	6		Carter's Matchless "	1 0
4 to 6	Broccoli, car. pur. Cape "	1 6		early dwarf "	6
	white Cape "	1 6		— Battersca "	6
	green Cape "	1 6		— London Market "	1 0
	early Cauliflower "	1 0		— Nonpareil "	6
	— close-headed "	1 0		— Sogar-loaf "	6
	— Malta "	1 0		— Wonder "	1 0
	— October "	1 6		— York "	6
	— purple "	1 0		Enfield, new early "	1 0
	— sprouting "	1 0		large Battersea "	6
	— Walcheren "	2 0		— Imperial "	6
	— white "	1 0		— Pomeranian "	1 0
	Adams' new dwarf "	1 6		— York "	6
	American "	1 6		— Drumh., lb. 3s. "	3
	Brimstone "	1 0		— Scotch, lb. 3s. "	3
	Chappel's cream "	1 0		Paignton "	6
	dwarf Siberian "	1 0		Shilling's Queen "	6
	Ellison's new April "	2 6		Spotboro' new "	1 0
	Field's new white "	1 6		Vanack "	6
	Grange's early "	1 6		6 finest for succession "	3 6

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.	
3 to 9	Cabbage, red Dutch per oz.	s. d. 6	1 to 10	Cucumbers :	s. d.	
	dwarf red "	6	* Best for Autumn Sowing.	Finest Prize Varieties.	Manchester Prize, p. pa.	6
	Savoy, dwarf green "	6			Man of Kent "	6
	— Drumhead "	6			Roman Emperor "	6
	— globe "	6			Sion House* "	6
	— yellow "	6			Snow's white spine "	6
	Couve Tronchuda "	1 0			Stewart's Ringleader "	1 0
	— new curled "	1 0			Superb white spine "	1 0
	Chou de Milan, imp. "	1 0			Victory of England "	1 0
1 to 10	Carrot, early Horn "	3			Walker's superb "	1 0
	early scarlet frame "	3			Weedon's frame* "	6
4 to 5	long Surrey "	3	Young's Champion, &c.	1 0		
	— orange "	3	6 finest varieties	5 0		
	— new Brunswick "	3	5 to 8	Endive, green curled, p. oz.	6	
	Altringham "	3		white curled "	6	
	white Belgium "	3		Batavian, green "	6	
1 to 9	Cauliflower, early Engl. "	1 6		— white "	6	
	late English "	1 6	1 to 8	new German "	9	
	— Asiatic "	1 6		French beans, China dw., qt.	1 3	
	— Cyprus "	1 6		dwarf dun "	1 3	
	Fitch's new late "	2 6		— dark dun "	1 3	
	Popart's new carly "	2 6		— Fulmer's "	1 3	
	late Dutch "	1 6		— Negro "	1 3	
	Waleheren "	1 6		— Negro Major "	2 0	
5 to 6	Cardoon, Spanish "	6		— Speckled "	1 3	
	new large purple "	1 0		— Turkey "	2 0	
3 to 5	Celery, solid white "	3		Runners, scarlet "	1 3	
	solid red "	3		— French Haricot "	1 6	
	giant red "	4		Painted Lady "	1 6	
	giant white "	4		Turkey "	2 0	
	Jones' new Matchl. "	6	3 to 5	Ice plant, garnishing, per pa.	3	
	new curled Paw "	4	4 to 5	Indian Corn, "	3	
	Seymour's white "	4	3 to 5	Leek, London Flag per oz.	6	
	Wheeler's pink "	6		new Giant "	1 0	
	large-rooted "	4	1 to 8	Lettuce, Cos, Ady's "	1 0	
	Chervil, curled "	4		Cos, Artichoke-leav. "	1 0	
5 to 7	Corn Salad "	3		— Bath* "	1 0	
1 to 12	Cress, common per qt.	1 0		— — bl.-seeded do.* "	1 0	
	triple curled "	1 6		— — broad-leav. do.* "	1 0	
	golden "	1 6		— Brighton "	1 0	
4 to 7	perennial Amer. per oz.	3		— brown "	1 0	
3 to 5	Water-eress per pa.	6		— Egyptian* "	1 0	
1 to 10	Cucumber, fine frame "	6		— Florence "	1 0	
	fine long prickly "	3		— green "	1 0	
	fine Ridge "	3		— Kensington "	1 0	
	short prickly "	3		— Nonpareil, w. "	1 6	
	Turkey, wh. or gr. "	3		— Nonpareil, gr. "	1 6	
	{ Carter's Champion "	1 0	* Hardest for Autumn Sowing.	— Paris "	1 0	
	{ Colney Hatch, ex.* "	1 0		— Snow's matchl. "	1 6	
	{ Cuthill's black spine* "	6		— white "	1 0	
				— white winter* "	1 0	

Month of Sow.	oz. ounce; lb. pound; qt. quart.	Price. s. d.	Month of Sow.	pa. packet; bush. bushel.	Price. s. d.
* Best for Autumn Sowing.	1 to 8 Lettuce, cabbage, wh.* p. oz.	6	3 to 6	Peas, later sorts per qt.	
	Cabbage, Asiatic	1 0		Carter's Lilliputian	2 6
	-- brown Dutch*	6		-- new Colossus	1 6
	-- Drumhead	1 0		-- Victoria*	3 0
	-- hardy Hammers.*	6		Glory of England	1 0
	-- Malta	1 0		Marrow, dwarf wh.	9
	-- Marsilles	1 0		-- dwarf green	9
	-- Mogul	1 0		-- tall white	9
	-- new Winter*	1 0		-- tall green	9
	-- new pink edged*	1 0		Woodford's green	1 6
	-- Tennis ball*	1 0		Victoria	1 0
	Silesian, brown*	1 0		Knight's marrow, d.	2 0
	-- white*	1 0		Matchless Marrow	1 0
	8 finest sorts	7 0		Bedman's Imperial	1 0
4 and 5	Love apple or Tomato	1 0	Groom's superb	9	
	yellow	1 0	Prussian blue	8	
3 to 6	Mallow, garnishing	3	Queen of the dwarfs	2 6	
1 to 12	Mustard, white	1 0	Scimitar	1 0	
* Best for Autumn Sowing.	3 to 8 Onion, blood-red	6	10 best for succession	15 0	
	Deptford*	6	2 to 6	Potato, early	1 0
	Globe	6		late	1 0
	-- new white	9		Silver-skin Dutch	1 0
	James' keeping	9	5 and 6	Purslain, gr. or gold.	6
	Lisbon	6		1 to 9	Radish, long frame
	new Giant*	9	Wood's new frame		2 6
	Pickling	9	early scarlet		2 0
	Portugal, white	6	early short topt		2 0
	Reading*	6	long Salmon		2 0
	Silver skinned	9	white Naples		2 6
	Spanish, white*	6	red Turnip		2 6
	-- brown	6	white Turnip		2 6
	Strasburg*	6	mixed Turnip		2 6
Tripoli large*	9	new olive	2		
Two-bladed early	6	Spanish, blaek	2		
Welch*	6	4 to 5	Rampion, pa. 3d.		1 0
6 finest sorts, 2 oz. ea.	7 0	4 to 5	Rhubarb, Victoria		1 0
4 to 8	Parsley, extra curled	3	Tobolsk, &c. &c.		1 0
	Myatt's garnishing	4	Salsafy	6	
	large-rooted	4	8 and 9	Scandix bulbosa, root	6
3 to 5	Parsnip, best large	3	4 to 5	Scorzonera	6
2 to 10	Peas, early Kent	8	3 to 5	Sea Kail	2 0
	early frame	8		Skirret	8
	-- May	8		Sorrel	6
	-- Prince Albert	1 0	2 to 5	Spinach, round	1 0
	-- Shilling's Grotto	1 0	2 to 9	prickly	1 0
	-- Race-horse	9		broad Flanders	1 0
	-- Warwick	9	3 to 6	New Zealand	6
	-- Charlton, 2d early	8			
	-- Bishop's dwarf	1 0			
	-- Champion of Engl.	5 0			

* Carter's Victoria Pea warranted superior in size and flavour to any other.

Month of Sow.	oz. ounce; qt. quart.	Price.	Month of Sow.	pa. packet; bush. bushel.	Price.
		s. d.			s. d.
2 to 5	Squash, fine mixed per pa.	6	4 to 6	Sage per oz. 6d. per pa.	3
2 to 6	Turnip, early Dutch per oz.	3		Savory, Sum. „ 1s. „	3
	early Mousetail „	3		— Winter „ 1s. „	3
	— Snowball „	3		Thyme „ 1s. „	3
3 to 9	— Nonsuch „	3	3 to 5	Tobacco (fumigating) „	3
	— stone or stubble „	3		ROOTS, PLANTS, &c.	
	— large white „	3		<i>The Prices variable.</i>	
	yel. Altringham „	3	4 to 6	Artichokes per bush.	
	— Maltese „	3		Asparagus, all sorts per 100	
	— stone „	3		Garlic per lb.	
5 to 6	— Swedish „	2		Horse Radish per doz.	
3 to 6	Teltan, German „	6		Mushroom Spawn per bush.	
	Vegetable Marrow „	6		Potato, early forcing	
	SWEET HERBS, &c.			late varieties	
4 to 6	Balm per oz. 1s. per pa.	3		new do.	
	Basil, sweet „ 1s. „	3		Rhubarb Roots, all sorts, ea.	
	— bush „ 1s. „	3		Shallots per lb.	
	Borage „ 6d. „	3		Sea Kale per 100	
	Buglos „ 6d. „	3		Strawberry Plants „	
	Burnet „ 6d. „	3		Raspberry Plants „	
3 to 4	Capsieum „ 1s. „	3		<i>And all other Plants and</i>	
	Chilis „ 1s. „	3		<i>Seeds for the Kitchen Garden.</i>	
4 to 6	Clary „ 6d. „	3		<i>When sown before the</i>	
	Fennel „ 6d. „	3		<i>usual time in Spring, a hot-</i>	
	Florence Fennel 6d. „	3		<i>bed frame is required for</i>	
	Ilyssop „ 6d. „	3		<i>Carrot, Cauliflower, Cucum-</i>	
	Lavender „ 1s. „	3		<i>ber, French Beans, Lettuce,</i>	
	Marjoram, pot, „ 1s. „	3		<i>Potato, Radish, &c. Except</i>	
	— sweet „ 1s. „	3		<i>Peas and Beans, nothing</i>	
	Marigold, pot „ 6d. „	3		<i>need be sown in the open</i>	
	Rosemary „ 1s. „	3		<i>ground during the months</i>	
	Rue „ 1s. „	3		<i>of October, November, De-</i>	
	Wormwood „ 6d. „	3		<i>cember and January.</i>	

AGRICULTURAL SEEDS.

The prices of Agricultural Seeds are variable, and cannot be fixed for the whole Season. The following are the present prices of some of the leading articles:—

	s. d.		s. d.
Cabbage, largest Drumhead, per lb.	3 0	Mangel Murzel, Globe per lb.	2 0
Carrot, true large Atrincham „	2 0	Parsnip, largest field „	2 0
— largest white Belgium „	2 6	Sugar Beet, Silesian „	2 0
Mangold Wurzel, long red „	2 0	Turnip, large „	9d. to 1 9

FRUIT TREES.	Dwarfs.		Standards.		Standards, trained.	Standards, trained.
	s. d.	s. d.	s. d.	s. d.		
Apples, finest sorts	9 to 1	0	2	6	3	6
Apricots, various, finest	1	6	2	6	6	0
Almonds, fruit-bearing	1	6	3	6		
Cherries, very fine sorts	1	0	2	6	3	6
Nectarines, ditto ditto	1	6	3	6	6	0
Peaches, ditto ditto	1	6	3	6	6	0
Pears, great variety	1	0	2	6	3	6
Plums, fine sorts	1	0	2	6	3	6
Medlars.....	1	0	2	6		
Quinces.....			2	6		

Gooseberries, 12 extra fine large prize varieties, 12s. 50 do. £2 0 0
 Grape Vines, Pine-apple Plants, &c. &c.

* * A Catalogue of Genuine Dutch Bulbs will be published in Autumn.

List of a few important and useful works on Botany, &c., to be had of all Booksellers.

- LOUDON'S Arboretum et Fruticetum Britannicum. 8 vols. 8vo. 10l.
 — Abridged edition, 1 vol. 8vo, 1200 pages and 2200 engravings, 2l. 10s.
 — Encycl. of Cottage, Farm, and Villa Architecture, 1 vol. 2000 engravings, 3l.
 — Supplement to do. 8vo. 7s. 6d.
 — Suburban Gardener and Villa Companion. 1 vol. 8vo. 1l.
 — REPTON'S Landscape Gardening, &c. 1 vol. 8vo. numerous plates.
 1l. 10s. plain, 3l. 6s. coloured.
 — The Suburban Horticulturist. 1 vol. 8vo. 380 engr. 16s. An excellent work.
 Mrs. LOUDON'S Ladies' Flower Garden. 4 vols., coloured plates, 8l. 18s. 6d.
 — Companion to ditto, 2nd edition. 1 vol. post 8vo. 6s.
 — LADY'S COUNTRY COMPANION, 2nd Edition, 7s. 6d.
 — The Amateur Gardener's Calendar. 7s. 6d. cloth.
 CURTIS' Botanical Magazine, edited by Sir William Jackson Hooker, monthly;
 coloured 3s. 6d., plain 2s. 6d., each.
 Dr. LINDLEY'S Botanical Register, monthly. 3s. 6d. each.
 — Sertum Orchidaceum, splendidly coloured, 10 parts. 25s. each.
 PAXTON'S Magazine of Botany, monthly. 2s. 6d. each.
 — Pocket Botanical Dictionary. 15s.
 MAUND'S Botanic Garden, col. monthly, large 1s. 6d., small 1s.

KOLLAR'S Treatise on Insects injurious to the Gardener, &c. 1 vol. 8vo. 7s.
 TAYLOR'S Bee-Keeper's Manual; or Practical Hints, &c. 12mo. 4s.

In giving orders for Flower Seeds it is sufficient to mention the numbers and date of the Catalogue, 1848.

Printed by R. and J. E. TAYLOR, Red Lion Court, Fleet Street.